

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

ST CHARLES

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
020585

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	465FT
		0	0	LG10001		
<u>DRILL DEPTH:</u>	100FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				719,641.00	4,301,403.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> LISTED FOR SEC. 25, BUT "15 IS MORE LIKELY"				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
004328

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1937/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	480FT
		0	0	LG10006		
<u>DRILL DEPTH:</u>	380FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				718,814.95	4,295,751.80
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 1 BLK LEFT OF BRIDGE TO ST CHARLES ON 2ND ST; PLUGGED				
<u>S.W.L. (AFTER CASING):</u>	50					

LOG ID:
009937

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1946/11/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	548FT
		0	0	LG10007		
<u>DRILL DEPTH:</u>	134FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				716,473.96	4,297,317.82
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> ON HWY 40 W END OF ST CHARLES CITY LIMITS				
<u>S.W.L. (AFTER CASING):</u>	5					

LOG ID:
024852

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1967/03/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	431FT
		0	0	LG10008		
<u>DRILL DEPTH:</u>	116FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					730,438.07	4,311,676.82
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> WATER DISTRICT - LESIEUR & PORTAGE RD				
<u>S.W.L. (AFTER CASING):</u>	17					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002321**WELL TYPE

Dry Oil &/or Gas Well

DRILL DATE: 1930/07/30TOWNSHIP

0

RANGE

0

SECTION

LG10010

ELEVATION:

442FT

DRILL DEPTH: 619FTDEPTH TO BED: 215FTUTM X

731,618.06

UTM Y

4,310,036.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 SHELL ACCREAGE & MACHENSS.W.L. (AFTER CASING):**LOG ID:****023989**WELL TYPE

Private Well

DRILL DATE: 1965//TOWNSHIP

0

RANGE

0

SECTION

LG1198

ELEVATION:

607FT

DRILL DEPTH: 225FTDEPTH TO BED: 25FTUTM X

713,948.88

UTM Y

4,291,702.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SECTION - "CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****025484**WELL TYPE

Private Well

DRILL DATE: 1967/07/27TOWNSHIP

0

RANGE

0

SECTION

LG1198

ELEVATION:

521FT

DRILL DEPTH: 405FTDEPTH TO BED: 45FTUTM X

715,317.89

UTM Y

4,291,022.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2724 S RIVER RD, ST. CHARLESS.W.L. (AFTER CASING):**LOG ID:****023189**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP

0

RANGE

0

SECTION

LG1198

ELEVATION:

607FT

DRILL DEPTH: 350FTDEPTH TO BED: 75FTUTM X

713,948.88

UTM Y

4,291,702.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: O'FALLON; "CAN'T LOCATE"S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021213

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	510FT
		0	0	LG1198		
<u>DRILL DEPTH:</u>	350FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				715,750.89	4,291,406.79
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	MANY SKIPPED INTERVALS			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
022556

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	530FT
		0	0	LG1198		
<u>DRILL DEPTH:</u>	356FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				715,192.89	4,291,724.80
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	MAY BE IN SECTION 21			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
022239

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	528FT
		0	0	LG1198		
<u>DRILL DEPTH:</u>	450FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				715,046.89	4,291,054.79
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
022235

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	510FT
		0	0	LG1198		
<u>DRILL DEPTH:</u>	300FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				715,433.89	4,291,679.80
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003671**WELL TYPE

Private Well

DRILL DATE: 1936/06/27TOWNSHIPRANGESECTIONELEVATION:

484FT

DRILL DEPTH: 230FT

0

0

LG1198

DEPTH TO BED: 2FTUTM XUTM Y

714,298.89

4,292,243.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: QUARRY SITE; YIELD "LESS THAN 3/4 GPM"S.W.L. (AFTER CASING):**LOG ID:****009956**WELL TYPE

Private Well

DRILL DATE: 1946/11/09TOWNSHIPRANGESECTIONELEVATION:

628FT

DRILL DEPTH: 250FT

0

0

LG127

DEPTH TO BED: 45FTUTM XUTM Y

710,533.84

4,288,670.79

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI S OF HARVESTER; FORMERLY HUGO BOEHMERS.W.L. (AFTER CASING): 175**LOG ID:****024551**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07TOWNSHIPRANGESECTIONELEVATION:

453FT

DRILL DEPTH: 61FT

0

0

LG137

DEPTH TO BED:UTM XUTM Y

713,253.83

4,286,408.75

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: RIVER PROFILE STUDYS.W.L. (AFTER CASING): 23**LOG ID:****020684**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

473FT

DRILL DEPTH: 175FT

0

0

LG14

DEPTH TO BED: 35FTUTM XUTM Y

693,453.57

4,278,247.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DEFIANCES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006407**WELL TYPE

Private Well

DRILL DATE: 1940// TOWNSHIP 0 RANGE 0 SECTION LG145 ELEVATION: 635FT
DRILL DEPTH: 160FT UTM X UTM Y
DEPTH TO BED: 15FT 685,323.58 4,303,577.93
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:**025605**WELL TYPE

Private Well

DRILL DATE: 1967/04/22 TOWNSHIP 0 RANGE 0 SECTION LG16 ELEVATION: 661FT
DRILL DEPTH: 505FT UTM X UTM Y
DEPTH TO BED: 55FT 707,166.80 4,287,299.80
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NEAR PITMAN HILL - HARVESTER
S.W.L. (AFTER CASING): 180

LOG ID:**022552**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG16 ELEVATION: 460FT
DRILL DEPTH: 350FT UTM X UTM Y
DEPTH TO BED: 35FT 707,876.80 4,286,623.78
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of L.C. Walker
S.W.L. (AFTER CASING):

LOG ID:**003903**WELL TYPE

Private Well

DRILL DATE: 1936/08/27 TOWNSHIP 0 RANGE 0 SECTION LG16 ELEVATION: 461FT
DRILL DEPTH: 75FT UTM X UTM Y
DEPTH TO BED: 25FT 707,403.79 4,286,546.78
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ALONG RR TRACKS 2.5 MI W & 1.6 MI S OF HARVESTER
S.W.L. (AFTER CASING): 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020610**WELL TYPE

Private Well

DRILL DATE: 1961//TOWNSHIPRANGESECTIONELEVATION:

493FT

DRILL DEPTH: 125FT

0

0

LG164

DEPTH TO BED: 40FTUTM XUTM Y

718,703.99

4,299,699.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****026230**WELL TYPE

Private Well

DRILL DATE: 1967/08/11TOWNSHIPRANGESECTIONELEVATION:

472FT

DRILL DEPTH: 215FT

0

0

LG1641

DEPTH TO BED: 30FTUTM XUTM Y

697,290.77

4,289,848.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI SE OF DARDENNE ON HWYS 40-61S.W.L. (AFTER CASING):**LOG ID:****028672**WELL TYPE

Monitoring Well

DRILL DATE: 1988/12/07TOWNSHIPRANGESECTIONELEVATION:

558FT

DRILL DEPTH: 620FT

0

0

LG1641

DEPTH TO BED: 30FTUTM XUTM Y

695,730.76

4,290,628.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MONITORING WELLS.W.L. (AFTER CASING):**LOG ID:****017906**WELL TYPE

Community Public Well

DRILL DATE: 1958/11/TOWNSHIPRANGESECTIONELEVATION:

549FT

DRILL DEPTH: 690FT

0

0

LG1641

DEPTH TO BED: 30FTUTM XUTM Y

696,290.77

4,290,850.93

ZONE 15

S.W.L. (BEFORE CASING): 50 FTREMARKS: #1 DARDENNE SUBDIVISIONS.W.L. (AFTER CASING): 50 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005677

WELL TYPE
Dry Oil &/or Gas Well

DRILL DATE: 1939/09/20 TOWNSHIP 0 RANGE 0 SECTION LG1641 ELEVATION: 500FT
DRILL DEPTH: 600FT UTM X UTM Y
DEPTH TO BED: 100FT 694,697.73 4,290,094.91
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 FERNIE STEWART - PLUGGED, FLOWED FRESH WATER
S.W.L. (AFTER CASING):

LOG ID:
005569

WELL TYPE
Private Well

DRILL DATE: 1939/05/ TOWNSHIP 0 RANGE 0 SECTION LG1667 ELEVATION: 558FT
DRILL DEPTH: 470FT UTM X UTM Y
DEPTH TO BED: 105FT 716,415.98 4,299,537.84
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: YIELD 10-12 GPM
S.W.L. (AFTER CASING): 110

LOG ID:
025841

WELL TYPE
Private Well

DRILL DATE: 1967/04/01 TOWNSHIP 0 RANGE 0 SECTION LG1669 ELEVATION: 586FT
DRILL DEPTH: 175FT UTM X UTM Y
DEPTH TO BED: 25FT 696,831.79 4,291,990.94
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E OF DARDENNE ON HWY N TO BATES RD, 1 MI S OF BATES
S.W.L. (AFTER CASING): 55 RD

LOG ID:
024682

WELL TYPE
Private Well

DRILL DATE: 1966/06/11 TOWNSHIP 0 RANGE 0 SECTION LG1669 ELEVATION: 600FT
DRILL DEPTH: 335FT UTM X UTM Y
DEPTH TO BED: 35FT 703,127.77 4,287,189.82
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025349**WELL TYPE

Private Well

DRILL DATE: 1967/05/08TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH: 345FT

0

0

LG1669

DEPTH TO BED: 30FTUTM XUTM Y

703,210.78

4,287,256.82

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: INDEPENDENCE RDS.W.L. (AFTER CASING): 110**LOG ID:****025245**WELL TYPE

Private Well

DRILL DATE: 1967/12/07TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH: 305FT

0

0

LG1669

DEPTH TO BED: 55FTUTM XUTM Y

698,650.77

4,289,303.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 48**LOG ID:****025212**WELL TYPE

Private Well

DRILL DATE: 1966/12/TOWNSHIPRANGESECTIONELEVATION:

550FT

DRILL DEPTH: 300FT

0

0

LG1669

DEPTH TO BED: 25FTUTM XUTM Y

699,296.77

4,289,546.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BROOKSIDE ACRESS.W.L. (AFTER CASING): 42**LOG ID:****025149**WELL TYPE

Private Well

DRILL DATE: 1966/12/10TOWNSHIPRANGESECTIONELEVATION:

533FT

DRILL DEPTH: 305FT

0

0

LG1669

DEPTH TO BED: 45FTUTM XUTM Y

697,632.76

4,289,388.89

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR WELDON SPRINGSS.W.L. (AFTER CASING): 36



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024319

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 550FT
0 0 LG1669
DRILL DEPTH: 358FT UTM X UTM Y
DEPTH TO BED: 50FT 700,039.77 4,288,681.86
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
023263

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 596FT
0 0 LG1669
DRILL DEPTH: 350FT UTM X UTM Y
DEPTH TO BED: 35FT 703,099.78 4,287,340.82
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: INDEPENDENCE RD
S.W.L. (AFTER CASING):

LOG ID:
023906

WELL TYPE
Private Well

DRILL DATE: 1965/10/ TOWNSHIP RANGE SECTION ELEVATION: 550FT
0 0 LG1669
DRILL DEPTH: 735FT UTM X UTM Y
DEPTH TO BED: 20FT 698,489.76 4,288,147.86
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
024176

WELL TYPE
Private Well

DRILL DATE: 1966/02/22 TOWNSHIP RANGE SECTION ELEVATION: 575FT
0 0 LG1669
DRILL DEPTH: 345FT UTM X UTM Y
DEPTH TO BED: 85FT 699,501.76 4,287,802.85
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019397**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

591FT

DRILL DEPTH:

200FT

0

0

LG1669

DEPTH TO BED:

25FT

UTM XUTM Y

702,642.78

4,287,956.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:formerly in name of Lindener - INDEPENDENCE RD, 2 MI E OF
WELDON SPRINGS, 0.5 MI S OF HWY 94S.W.L. (AFTER CASING):**LOG ID:****021678**WELL TYPE

Private Well

DRILL DATE:

1963//

TOWNSHIPRANGESECTIONELEVATION:

545FT

DRILL DEPTH:

630FT

0

0

LG1669

DEPTH TO BED:

10FT

UTM XUTM Y

699,219.77

4,288,924.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021828**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

550FT

DRILL DEPTH:

325FT

0

0

LG1669

DEPTH TO BED:

20FT

UTM XUTM Y

698,312.77

4,289,194.88

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

@ WELDON SPRINGS

S.W.L. (AFTER CASING):**LOG ID:****011392**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1950/08/

TOWNSHIPRANGESECTIONELEVATION:

548FT

DRILL DEPTH:

220FT

0

0

LG1669

DEPTH TO BED:

25FT

UTM XUTM Y

696,800.76

4,289,205.89

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:BUSCH WILDLIFE AREA, GORGAN RESIDENCE @ NORTH
ENTRANCES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007322**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	553FT
<u>DRILL DEPTH:</u>	255FT	0	0	LG1669	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	18FT				700,582.77	4,288,276.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.5 MI DUE N OF WELDON SPRINGS, 0.5 MI E OF TNT LUMBER			
<u>S.W.L. (AFTER CASING):</u>	57		YARD ON HWY 61			

LOG ID:**011390**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1950/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	583FT
<u>DRILL DEPTH:</u>	300FT	0	0	LG1669	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				697,585.75	4,288,508.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LEWIS RESIDENCE			
<u>S.W.L. (AFTER CASING):</u>	75					

LOG ID:**007500**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	548FT
<u>DRILL DEPTH:</u>	125FT	0	0	LG1669	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				702,294.78	4,287,864.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	N side of Hwy 94, 0.5 miles E of Weldon Springs; formerly in name of			
<u>S.W.L. (AFTER CASING):</u>	35		Bob Atkinson			

LOG ID:**007482**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	586FT
<u>DRILL DEPTH:</u>	215FT	0	0	LG1669	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				699,535.76	4,287,678.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WELDON SPRINGS, NE SD NEW HWY 61-40 @ CROSS ROADS, 0.5			
<u>S.W.L. (AFTER CASING):</u>	70		MI W OF OLD HWY			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004217**WELL TYPE

Private Well

DRILL DATE: 1937/04/30TOWNSHIPRANGESECTIONELEVATION:

583FT

DRILL DEPTH: 302FT

0

0

LG1669

DEPTH TO BED: 28FTUTM XUTM Y

698,732.77

4,289,340.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60**LOG ID:****006768**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1941/02/15TOWNSHIPRANGESECTIONELEVATION:

633FT

DRILL DEPTH: 811FT

0

0

LG1669

DEPTH TO BED: 23FTUTM XUTM Y

701,293.76

4,286,695.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CAN'T FIND SAMPLE LOG (TLT) - TNT PLANT @ WELDON SPRINGSS.W.L. (AFTER CASING):**LOG ID:****004729**WELL TYPE

Private Well

DRILL DATE: 1937/07/08TOWNSHIPRANGESECTIONELEVATION:

553FT

DRILL DEPTH: 125FT

0

0

LG1669

DEPTH TO BED: 45FTUTM XUTM Y

697,080.76

4,289,096.89

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON NEW HWY 40S.W.L. (AFTER CASING): 80**LOG ID:****004794**WELL TYPE

Private Well

DRILL DATE: 1938/05/01TOWNSHIPRANGESECTIONELEVATION:

583FT

DRILL DEPTH: 130FT

0

0

LG1669

DEPTH TO BED: 40FTUTM XUTM Y

698,447.79

4,291,253.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: O'FALLONS.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007911

WELL TYPE
Private Well

DRILL DATE: 1942/05/00

TOWNSHIP RANGE SECTION

ELEVATION: 471FT

DRILL DEPTH: 80FT

0 0 LG1719

DEPTH TO BED:

UTM X UTM Y
705,587.87 4,295,772.90
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
025473

WELL TYPE
Private Well

DRILL DATE: 1967/08/11

TOWNSHIP RANGE SECTION

ELEVATION: 426FT

DRILL DEPTH: 65FT

0 0 LG1730

DEPTH TO BED:

UTM X UTM Y
741,884.06 4,305,427.68
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 0.75 MI FROM ALTON

S.W.L. (AFTER CASING):

LOG ID:
025479

WELL TYPE
Stratigraphic test hole (oil & gas)

DRILL DATE: 1968/02/16

TOWNSHIP RANGE SECTION

ELEVATION: 426FT

DRILL DEPTH: 484FT

0 0 LG1730

DEPTH TO BED: 135FT

UTM X UTM Y
742,120.06 4,306,157.69
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #5-S C.B. & Q. RR - STRUCTURE TEST, PLUGGED

S.W.L. (AFTER CASING):

LOG ID:
020325

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 448FT

DRILL DEPTH: 555FT

0 0 LG1731

DEPTH TO BED: 75FT

UTM X UTM Y
707,646.90 4,296,886.89
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI SE OF ST. PETERS

S.W.L. (AFTER CASING): 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025711

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1968/07/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	442FT
<u>DRILL DEPTH:</u>	478FT	0	0	LG1741	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	115FT				726,114.02	4,303,267.79
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1-S ALOYS WEBER; STRUCTURE TEST - WATER WELL FOR			
<u>S.W.L. (AFTER CASING):</u>			LAND OWNE			

LOG ID:
008203

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1943/02/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	445FT
<u>DRILL DEPTH:</u>	125FT	0	0	LG1754	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				707,080.90	4,297,359.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI E OF ST. PETERS ON HWY 40			
<u>S.W.L. (AFTER CASING):</u>	21					

LOG ID:
024991

WELL TYPE
Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1967/06/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	424FT
<u>DRILL DEPTH:</u>	440FT	0	0	LG1765	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	120FT				740,920.05	4,304,552.69
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#2-S C.B. & Q. RR - STRUCTURE TEST- PLUGGED W/ 60 SX			
<u>S.W.L. (AFTER CASING):</u>			CEMENT			

LOG ID:
025063

WELL TYPE
Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1967/06/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	424FT
<u>DRILL DEPTH:</u>	433FT	0	0	LG1765	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				742,379.06	4,303,775.67
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1-S WITTE - STRUCTURE TEST - PLUGGED WITH 65 SX CEMENT			
<u>S.W.L. (AFTER CASING):</u>						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025427**WELL TYPE

Oil Well

DRILL DATE: 1940/12/06TOWNSHIPRANGESECTIONELEVATION:

419FT

DRILL DEPTH: 1,560FT

0

0

LG1765

DEPTH TO BED: 119FTUTM XUTM Y

741,176.05

4,304,634.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 MRS. MARSHALL RUST - DRY & ABANDONED; SEE log #6559S.W.L. (AFTER CASING):**LOG ID:****025505**WELL TYPE

Gas Well

DRILL DATE: 1968/01/03TOWNSHIPRANGESECTIONELEVATION:

422FT

DRILL DEPTH: 1,520FT

0

0

LG1765

DEPTH TO BED: 125FTUTM XUTM Y

741,633.05

4,302,971.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2-UGS PHILIP WITTE; GAS WITHDRAWAL WELL FROM SOTRAGE
FIELD 1463-1468'S.W.L. (AFTER CASING):**LOG ID:****025420**WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE: 1967/12/30TOWNSHIPRANGESECTIONELEVATION:

423FT

DRILL DEPTH: 1,150FT

0

0

LG1765

DEPTH TO BED: 270FTUTM XUTM Y

740,686.04

4,303,056.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 UGS ETHE HAWKINSS.W.L. (AFTER CASING):**LOG ID:****025495**WELL TYPE

Private Well

DRILL DATE: 1968/02/03TOWNSHIPRANGESECTIONELEVATION:

423FT

DRILL DEPTH: 460FT

0

0

LG1765

DEPTH TO BED: 135FTUTM XUTM Y

744,374.07

4,302,939.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-2 C. DEGEAL; GIVEN TO OWNER (DEGEAL) FOR WATER WELLS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025018**WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1967/06/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	430FT
<u>DRILL DEPTH:</u>	408FT	0	0	LG1765	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	133FT				740,628.04	4,303,484.68
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1-S C.B. & Q. RR - PLUGGED W/ 100 QU FT CEMENT 0-TD			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026310**WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

<u>DRILL DATE:</u>	1969/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	426FT
<u>DRILL DEPTH:</u>	1,145FT	0	0	LG1765	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	270FT				740,977.05	4,303,024.68
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#T-2 UGS H. BROWN			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026970**WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

<u>DRILL DATE:</u>	1971/08/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	420FT
<u>DRILL DEPTH:</u>	1,225FT	0	0	LG1765	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	135FT				743,004.06	4,303,606.66
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#T-1-UGS GRUNWALDT; PERF. 1165-1175			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026339**WELL TYPE

Monitoring Well

<u>DRILL DATE:</u>	1969/08/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	437FT
<u>DRILL DEPTH:</u>	855FT	0	0	LG1765	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				741,067.05	4,303,019.67
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#D-1 H. BROWN - OBSERVATION WELL; SCANNED - NO SAMPLES LOGGRED			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025167**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE: 1967/08/16TOWNSHIPRANGESECTIONELEVATION:

428FT

DRILL DEPTH: 365FT

0

0

LG1765

DEPTH TO BED: 130FTUTM XUTM Y

741,474.05

4,303,003.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-S H. BROWN - PLUGGED W/ 45 SX CEMENTS.W.L. (AFTER CASING):**LOG ID:****026374**WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE: 1969/04/09TOWNSHIPRANGESECTIONELEVATION:

420FT

DRILL DEPTH: 1,160FT

0

0

LG1765

DEPTH TO BED: 150FTUTM XUTM Y

741,072.05

4,302,855.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #T-4 UGS HAROLD BROWN - 5.8 MCF/DAYS.W.L. (AFTER CASING):**LOG ID:****017231**WELL TYPE

Oil Well

DRILL DATE: 1958//TOWNSHIPRANGESECTIONELEVATION:

420FT

DRILL DEPTH: 400FT

0

0

LG1765

DEPTH TO BED: 120FTUTM XUTM Y

744,655.07

4,302,823.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-S BECKMAN; ON CORA ISLANDS.W.L. (AFTER CASING):**LOG ID:****006559**WELL TYPE

Dry Oil &/or Gas Well

DRILL DATE: 1940/12/06TOWNSHIPRANGESECTIONELEVATION:

419FT

DRILL DEPTH: 1,140FT

0

0

LG1765

DEPTH TO BED: 119FTUTM XUTM Y

741,204.05

4,304,725.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 MRS. MARSHALL RUST - DRY & ABANDONED; SEE #25427 FOR COMPLETE LOGS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023696**WELL TYPE

Community Public Well

DRILL DATE: 1965/06/10TOWNSHIP

0

RANGE

0

SECTION

LG1766

ELEVATION:

530FT

DRILL DEPTH: 390FTDEPTH TO BED: 40FTUTM X

701,324.86

UTM Y

4,296,954.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****023034**WELL TYPE

Community Public Well

DRILL DATE: 1964/10/23TOWNSHIP

0

RANGE

0

SECTION

LG1766

ELEVATION:

565FT

DRILL DEPTH: 695FTDEPTH TO BED: 20FTUTM X

702,031.86

UTM Y

4,296,849.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI SE OF GILMORES.W.L. (AFTER CASING): 130**LOG ID:****025201**WELL TYPE

Private Well

DRILL DATE: 1966/11/23TOWNSHIP

0

RANGE

0

SECTION

LG1766

ELEVATION:

530FT

DRILL DEPTH: 165FTDEPTH TO BED: 65FTUTM X

702,188.86

UTM Y

4,296,478.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATERE AT 120' CASED OUT - FROM MUD CAVERNS.W.L. (AFTER CASING):**LOG ID:****024258**WELL TYPE

Private Well

DRILL DATE: 1966/04/25TOWNSHIP

0

RANGE

0

SECTION

LG1766

ELEVATION:

548FT

DRILL DEPTH: 385FTDEPTH TO BED: 45FTUTM X

700,754.85

UTM Y

4,295,829.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: near O'Fallon - formerly in name of Earl FischerS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020922**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1961/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	556FT
<u>DRILL DEPTH:</u>	830FT	0	0	LG1766	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				701,372.86	4,296,905.94
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145					
<u>REMARKS:</u>	O'FALLON					

LOG ID:**021171**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1962//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	460FT
<u>DRILL DEPTH:</u>	375FT	0	0	LG1766	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				701,650.87	4,297,225.95
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	50					
<u>REMARKS:</u>	deepened to 695' (see log #21375 for complete log) - 1 miles E of O'Fallon					

LOG ID:**021212**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	495FT
<u>DRILL DEPTH:</u>	275FT	0	0	LG1766	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	57FT				702,185.86	4,296,668.94
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA					

LOG ID:**019847**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	532FT
<u>DRILL DEPTH:</u>	310FT	0	0	LG1766	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				700,422.85	4,296,150.95
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	35					
<u>REMARKS:</u>	0.5 MI NE OF HWY K (MEXICO RD) S OF O'FALLON					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022967**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1964/04/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	490FT
<u>DRILL DEPTH:</u>	384FT	0	0	LG1766	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				701,173.86	4,297,121.95
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60	<u>REMARKS:</u>	REDI MIX PLANT			

LOG ID:**025494**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/05/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	610FT
<u>DRILL DEPTH:</u>	245FT	0	0	LG1771	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				697,733.81	4,293,793.95
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>	FIESE RD, IN S O'FALLON			

LOG ID:**025531**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/09/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	608FT
<u>DRILL DEPTH:</u>	265FT	0	0	LG1771	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				697,897.81	4,293,629.94
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>	FIESE RD, OFF LAUREL HILLS RD			

LOG ID:**024409**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/05/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	495FT
<u>DRILL DEPTH:</u>	100FT	0	0	LG1776	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				703,847.82	4,290,798.87
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026861

WELL TYPE
Private Well

DRILL DATE: 1969/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 484FT

DRILL DEPTH: 100FT

0 0 LG1776

DEPTH TO BED: 55FT

UTM X UTM Y
703,572.81 4,290,499.87
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SCANNED, NO SAMPLES LOGGED - TOPS ONLY

S.W.L. (AFTER CASING):

LOG ID:
026569

WELL TYPE
Private Well

DRILL DATE: 1970/02/23

TOWNSHIP RANGE SECTION

ELEVATION: 505FT

DRILL DEPTH: 365FT

0 0 LG1776

DEPTH TO BED: 20FT

UTM X UTM Y
703,820.81 4,290,702.87
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: N OF HWY 94 NEAT GUTHERMUTH RD

S.W.L. (AFTER CASING):

LOG ID:
026383

WELL TYPE
Private Well

DRILL DATE: 1967/10/05

TOWNSHIP RANGE SECTION

ELEVATION: 515FT

DRILL DEPTH: 165FT

0 0 LG1776

DEPTH TO BED: 40FT

UTM X UTM Y
703,971.82 4,291,237.88
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: IN COTTLEVILLE

S.W.L. (AFTER CASING): 50

LOG ID:
026389

WELL TYPE
Private Well

DRILL DATE: 1967/10/23

TOWNSHIP RANGE SECTION

ELEVATION: 508FT

DRILL DEPTH: 245FT

0 0 LG1776

DEPTH TO BED: 45FT

UTM X UTM Y
703,863.81 4,290,620.87
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NEAR COTTLEVILLE

S.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025530**WELL TYPE

Private Well

DRILL DATE: 1967/10/02TOWNSHIPRANGESECTIONELEVATION:

616FT

DRILL DEPTH: 185FT

0

0

LG1778

DEPTH TO BED: 45FTUTM XUTM Y

692,622.70

4,291,802.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SOMMERS RDS.W.L. (AFTER CASING): 50**LOG ID:****024894**WELL TYPE

Private Well

DRILL DATE: 1966/08/23TOWNSHIPRANGESECTIONELEVATION:

582FT

DRILL DEPTH: 500FT

0

0

LG1779

DEPTH TO BED: 250FTUTM XUTM Y

710,394.89

4,294,675.86

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR ST CHARLES; OLD WELL DEEPENED 250-500'S.W.L. (AFTER CASING):**LOG ID:****019552**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

585FT

DRILL DEPTH: 240FT

0

0

LG1779

DEPTH TO BED: 50FTUTM XUTM Y

710,441.89

4,294,686.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: HIGH POINT ACRES SUBDIVISIONS.W.L. (AFTER CASING):**LOG ID:****007498**WELL TYPE

Private Well

DRILL DATE: 1941//TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 260FT

0

0

LG1779

DEPTH TO BED: 16FTUTM XUTM Y

708,958.89

4,294,811.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024064

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	635FT
<u>DRILL DEPTH:</u>	465FT	0	0	LG1780	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				695,576.82	4,296,485.99
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u>	

LOG ID:
024079

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	620FT
<u>DRILL DEPTH:</u>	325FT	0	0	LG1780	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				695,485.83	4,297,103.00
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u>	

LOG ID:
024085

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	620FT
<u>DRILL DEPTH:</u>	465FT	0	0	LG1780	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				695,437.82	4,296,435.99
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u>	

LOG ID:
024088

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	622FT
<u>DRILL DEPTH:</u>	405FT	0	0	LG1780	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				695,201.82	4,297,149.99
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u> formerly in name of George Smith - VERY POOR SAMPLES	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024683**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1966/07/13 TOWNSHIP 0 RANGE 0 SECTION LG1780 ELEVATION: 540FT
DRILL DEPTH: 145FT UTM X 696,352.84 UTM Y 4,297,664.99
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Rock Hill Asphalt Company - yield of 9.5 gpm
S.W.L. (AFTER CASING):

LOG ID:**019017**WELL TYPE

Community Public Well

DRILL DATE: 1960/06/ TOWNSHIP 0 RANGE 0 SECTION LG1780 ELEVATION: 626FT
DRILL DEPTH: 890FT UTM X 695,427.82 UTM Y 4,296,666.99
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 6 MI E OF WENTZVILLE ON HWY 40, 0.5 MI SE OF HWY
S.W.L. (AFTER CASING): 150

LOG ID:**007189**WELL TYPE

Community Public Well

DRILL DATE: 1941// TOWNSHIP 0 RANGE 0 SECTION LG1784 ELEVATION: 495FT
DRILL DEPTH: 300FT UTM X 707,490.84 UTM Y 4,291,020.85
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: high school well; "BAILED DRY & RAN IN 12 GPM"; log #15777 MAY
S.W.L. (AFTER CASING): 40 BE the deepened samples of log #7189

LOG ID:**024172**WELL TYPE

Private Well

DRILL DATE: 1966/03/04 TOWNSHIP 0 RANGE 0 SECTION LG1785 ELEVATION: 573FT
DRILL DEPTH: 700FT UTM X 705,172.80 UTM Y 4,288,488.83
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020984**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

550FT

DRILL DEPTH:

425FT

0

0

LG1785

DEPTH TO BED:

20FT

UTM XUTM Y

704,625.81

4,290,123.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****019543**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

582FT

DRILL DEPTH:

400FT

0

0

LG1785

DEPTH TO BED:

5FT

UTM XUTM Y

704,868.81

4,289,567.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WELL APPARENTLY MISLOCATEDS.W.L. (AFTER CASING):**LOG ID:****024189**WELL TYPE

Private Well

DRILL DATE:

1966/03/24

TOWNSHIPRANGESECTIONELEVATION:

615FT

DRILL DEPTH:

750FT

0

0

LG1787

DEPTH TO BED:

55FT

UTM XUTM Y

704,806.79

4,287,823.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025534**WELL TYPE

Private Well

DRILL DATE:

1967/08/01

TOWNSHIPRANGESECTIONELEVATION:

582FT

DRILL DEPTH:

505FT

0

0

LG1787

DEPTH TO BED:

120FT

UTM XUTM Y

703,484.80

4,289,348.85

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SURVEY 48, MOTHERHEAD RD, COTTLEVILLES.W.L. (AFTER CASING):

130



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023266**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

602FT

DRILL DEPTH:

375FT

0

0

LG1787

DEPTH TO BED:

70FT

UTM XUTM Y

704,443.79

4,287,944.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

formerly in name of Raymond Taylor - INDEPENDENCE RD

S.W.L. (AFTER CASING):**LOG ID:****023175**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

623FT

DRILL DEPTH:

350FT

0

0

LG1787

DEPTH TO BED:

50FT

UTM XUTM Y

704,146.79

4,288,281.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

INDEPENDENCE RD

S.W.L. (AFTER CASING):**LOG ID:****024615**WELL TYPE

Private Well

DRILL DATE:

1966/06/10

TOWNSHIPRANGESECTIONELEVATION:

455FT

DRILL DEPTH:

225FT

0

0

LG1790

DEPTH TO BED:

55FT

UTM XUTM Y

700,047.90

4,301,190.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****004147**WELL TYPE

Private Well

DRILL DATE:

1937/03/

TOWNSHIPRANGESECTIONELEVATION:

496FT

DRILL DEPTH:

200FT

0

0

LG1790

DEPTH TO BED:

70FT

UTM XUTM Y

701,288.90

4,300,637.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NEAR O'FALLON; OLD WELL DEEPENED 70-200.5'

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005376

WELL TYPE
Private Well

DRILL DATE: 1939/03/ TOWNSHIP 0 RANGE 0 SECTION LG1790 ELEVATION: 451FT
DRILL DEPTH: 204FT
DEPTH TO BED: 33FT UTM X 701,209.90 UTM Y 4,301,040.98
 S.W.L. (BEFORE CASING): REMARKS: ON NE SIDE HWY 79
 S.W.L. (AFTER CASING):

LOG ID:
025540

WELL TYPE
Private Well

DRILL DATE: 1967/09/01 TOWNSHIP 0 RANGE 0 SECTION LG1794 ELEVATION:
DRILL DEPTH: 325FT UTM X 686,515.41 UTM Y 4,279,531.64
DEPTH TO BED: 75FT
 S.W.L. (BEFORE CASING): REMARKS: NEAR MARTHASVILLE - MAY BE MISLOCATED
 S.W.L. (AFTER CASING):

LOG ID:
026497

WELL TYPE
Private Well

DRILL DATE: 1968/08/20 TOWNSHIP 0 RANGE 0 SECTION LG18 ELEVATION: 581FT
DRILL DEPTH: 265FT UTM X 692,036.52 UTM Y 4,276,605.63
DEPTH TO BED: 40FT
 S.W.L. (BEFORE CASING): REMARKS: SCANNED - TOPS ONLY
 S.W.L. (AFTER CASING):

LOG ID:
025519

WELL TYPE
Private Well

DRILL DATE: 1967/08/09 TOWNSHIP 0 RANGE 0 SECTION LG1801 ELEVATION: 592FT
DRILL DEPTH: 205FT UTM X 689,546.63 UTM Y 4,293,663.89
DEPTH TO BED: 30FT
 S.W.L. (BEFORE CASING): FT REMARKS:
 S.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025215

WELL TYPE
Private Well

DRILL DATE: 1966/11/29

TOWNSHIP

RANGE

SECTION

ELEVATION:

588FT

DRILL DEPTH: 205FT

0

0

LG1801

DEPTH TO BED: 20FT

UTM X

UTM Y

689,096.62

4,294,150.89

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
025209

WELL TYPE
Private Well

DRILL DATE: 1966/11/25

TOWNSHIP

RANGE

SECTION

ELEVATION:

483FT

DRILL DEPTH: 205FT

0

0

LG1808

DEPTH TO BED: 45FT

UTM X

UTM Y

704,270.89

4,297,588.93

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NEAR ST. PETERS

S.W.L. (AFTER CASING): 40

LOG ID:
025214

WELL TYPE
Private Well

DRILL DATE: 1966/11/26

TOWNSHIP

RANGE

SECTION

ELEVATION:

480FT

DRILL DEPTH: 160FT

0

0

LG1808

DEPTH TO BED: 45FT

UTM X

UTM Y

704,309.88

4,297,500.93

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR ST. PETERS - HWY I-70

S.W.L. (AFTER CASING):

LOG ID:
021205

WELL TYPE
Community Public Well

DRILL DATE: 1962/06/

TOWNSHIP

RANGE

SECTION

ELEVATION:

500FT

DRILL DEPTH: 860FT

0

0

LG1808

DEPTH TO BED: 70FT

UTM X

UTM Y

706,503.89

4,296,549.90

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 95



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019363**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1960/09/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	489FT
<u>DRILL DEPTH:</u>	820FT	0	0	LG1808	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				705,627.89	4,296,862.91
<u>S.W.L. (BEFORE CASING):</u>	55	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	45	FT				
<u>REMARKS:</u>	S OF HIGHWAY					

LOG ID:**024988**WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1967/02/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	435FT
<u>DRILL DEPTH:</u>	380FT	0	0	LG1810	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				731,632.05	4,308,419.79
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	#1-S LOUIS MACHENS - STRUCTURE TEST - PLUGGED					

LOG ID:**024917**WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1967/04/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	431FT
<u>DRILL DEPTH:</u>	348FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	135FT				732,888.05	4,308,856.78
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	#2-3 DWIGGINS - STRUCTURE TEST - PLUGGED					

LOG ID:**025480**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1968/02/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	454FT
<u>DRILL DEPTH:</u>	505FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	145FT				739,331.04	4,306,432.72
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	#1-S A. BURNSTEIN - STRUCTURE TEST - GIVEN TO OWNER FOR WATER WELL					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025020**WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1967/06/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	433FT
<u>DRILL DEPTH:</u>	273FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	132FT				736,209.04	4,306,887.74
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#3-S SAALE; STRUCTURE TEST - PLUGGED			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**025552**WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1968/03/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	431FT
<u>DRILL DEPTH:</u>	483FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				739,469.04	4,305,410.71
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1-S L. McCANN - STRUCTURE TEST - PLUGGED W/ 50 SX OF CEMENT			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**025426**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/08/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	430FT
<u>DRILL DEPTH:</u>	50FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					739,032.04	4,307,829.73
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ WEST ALTON			
<u>S.W.L. (AFTER CASING):</u>	10					

LOG ID:**025639**WELL TYPE

Monitoring Well

<u>DRILL DATE:</u>	1968/05/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	422FT
<u>DRILL DEPTH:</u>	1,320FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	120FT				739,887.05	4,306,821.71
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1-UGS A. BRUNSTEIN - OBSERVATION WELL			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025019**WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1967/06/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	433FT
<u>DRILL DEPTH:</u>	365FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				737,590.04	4,307,294.74
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1-S STANLEY A. MINTERT - STRUCTURE TEST - PLUGGED			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**025786**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1968/09/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	430FT
<u>DRILL DEPTH:</u>	290FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	165FT				734,346.04	4,308,117.77
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#2-S MACHENS - STRUCTURE TEST - GIVEN TO OWNER AS			
<u>S.W.L. (AFTER CASING):</u>		WATER WELL				

LOG ID:**018853**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	423FT
<u>DRILL DEPTH:</u>	390FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				736,959.04	4,306,277.73
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	"CAN'T LOCATE; MOST SAMPLES MISSING			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**018923**WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	428FT
<u>DRILL DEPTH:</u>	270FT	0	0	LG1838	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	120FT				734,355.05	4,308,632.77
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	BECKHAM - STRUCTURE TEST - NARROW 0.5 X 1 MI SECTION			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018920**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

427FT

DRILL DEPTH:

230FT

0

0

LG1838

DEPTH TO BED:

130FT

UTM XUTM Y

736,034.04

4,308,234.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

#1-59 O. DWIGGINS

S.W.L. (AFTER CASING):**LOG ID:****012537**WELL TYPE

Dry Oil &/or Gas Well

DRILL DATE:

1954/01/28

TOWNSHIPRANGESECTIONELEVATION:

430FT

DRILL DEPTH:

1,170FT

0

0

LG1838

DEPTH TO BED:

60FT

UTM XUTM Y

739,638.04

4,305,977.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:#1 EDWIN MINTERT - 0.75 MI SW OF WEST ALTON - DRY &
ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****002318**WELL TYPE

Dry Oil &/or Gas Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

429FT

DRILL DEPTH:

848FT

0

0

LG1838

DEPTH TO BED:

125FT

UTM XUTM Y

738,828.04

4,305,971.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:#1 BRADSHAW - DRY HOLE - PLUGGED - 1 MI E OF END OF
PELICANS.W.L. (AFTER CASING):**LOG ID:****025166**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/09/13

TOWNSHIPRANGESECTIONELEVATION:

421FT

DRILL DEPTH:

400FT

0

0

LG1909

DEPTH TO BED:

130FT

UTM XUTM Y

741,480.05

4,302,415.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:#2-S H. BROWN - STRUCTURE TEST - PLUGGED W/ 45 SX
CEMENTS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025621

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	431FT
		0	0	LG1958		
<u>DRILL DEPTH:</u>	442FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	165FT				745,247.08	4,301,103.61
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#3-S BECKMAN, STRUCTURE TEST - GIVEN TO OWNER AS A			
<u>S.W.L. (AFTER CASING):</u>			WATER WELL			

LOG ID:
026446

WELL TYPE
Monitoring Well

<u>DRILL DATE:</u>	1969/07/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	421FT
		0	0	LG1958		
<u>DRILL DEPTH:</u>	1,302FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	150FT				745,020.07	4,300,870.61
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#T3-1-A-UGS CORA ISLAND, GAS STORAGE OBSERVATION WELL			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
022962

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1964/05/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	505FT
		0	0	LG20		
<u>DRILL DEPTH:</u>	115FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				691,875.50	4,275,499.61
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ON HWY 94 @ MATSON			
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:
009218

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1946/06/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	501FT
		0	0	LG2526		
<u>DRILL DEPTH:</u>	702FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				703,795.76	4,285,379.79
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	30					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024177

WELL TYPE
Private Well

DRILL DATE: 1966/02/ TOWNSHIP 0 RANGE 0 SECTION LG285 ELEVATION: 500FT
DRILL DEPTH: 125FT UTM X 706,525.86 UTM Y 4,293,427.88
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
024871

WELL TYPE
Private Well

DRILL DATE: 1966/08/15 TOWNSHIP 0 RANGE 0 SECTION LG285 ELEVATION: 525FT
DRILL DEPTH: 760FT UTM X 706,647.85 UTM Y 4,293,089.87
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEAR HARVESTER
S.W.L. (AFTER CASING):

LOG ID:
025488

WELL TYPE
Private Well

DRILL DATE: 1969/08/17 TOWNSHIP 0 RANGE 0 SECTION LG285 ELEVATION: 482FT
DRILL DEPTH: 205FT UTM X 706,658.85 UTM Y 4,292,561.87
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): 15 FT REMARKS: ST. PETERS RD - HARVESTER
S.W.L. (AFTER CASING):

LOG ID:
020762

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG285 ELEVATION: 520FT
DRILL DEPTH: 125FT UTM X 707,527.85 UTM Y 4,291,874.86
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FORMER OWNER ROBERT LYNCH
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024321

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1966/06/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	540FT
		0	0	LG291		
<u>DRILL DEPTH:</u>	215FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				711,512.93	4,298,161.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	3 MI N ON CO RD, 0.25 MI W OF CAVE SPRINGS OVERPASS ON			
<u>S.W.L. (AFTER CASING):</u>			I-70			

LOG ID:
007495

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	445FT
		0	0	LG291		
<u>DRILL DEPTH:</u>	65FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				711,380.93	4,298,012.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	@ OLD WABASH RR BALLAST PIT IN RIVER BOTTOM			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
025225

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1966/10/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	520FT
		0	0	LG292		
<u>DRILL DEPTH:</u>	125FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				706,654.82	4,289,403.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
020768

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	555FT
		0	0	LG292		
<u>DRILL DEPTH:</u>	275FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				705,945.81	4,289,109.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019893**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

487FT

DRILL DEPTH:

150FT

0

0

LG292

DEPTH TO BED:

15FT

UTM XUTM Y

706,175.82

4,289,421.83

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RT 2, ST. CHARLES

S.W.L. (AFTER CASING):

50

LOG ID:**026806**WELL TYPE

Private Well

DRILL DATE:

1971/08/01

TOWNSHIPRANGESECTIONELEVATION:

518FT

DRILL DEPTH:

235FT

0

0

LG294

DEPTH TO BED:

20FT

UTM XUTM Y

688,234.67

4,303,367.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SCANNED, NO SPLS LOGGED - TOPS ONLY; 1 MI E OF FLINT HILL

S.W.L. (AFTER CASING):

P

LOG ID:**025576**WELL TYPE

Private Well

DRILL DATE:

1967/08/04

TOWNSHIPRANGESECTIONELEVATION:

560FT

DRILL DEPTH:

205FT

0

0

LG297

DEPTH TO BED:

50FT

UTM XUTM Y

693,976.73

4,291,064.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

HWY DD, NEW MELLE

S.W.L. (AFTER CASING):

25

LOG ID:**020603**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

556FT

DRILL DEPTH:

125FT

0

0

LG297

DEPTH TO BED:

20FT

UTM XUTM Y

694,490.74

4,291,040.92

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025649**WELL TYPE

Private Well

DRILL DATE: 1967/03/25TOWNSHIPRANGESECTIONELEVATION:

428FT

DRILL DEPTH: 285FT

0

0

LG2982

DEPTH TO BED: 70FTUTM XUTM Y

718,010.93

4,293,626.79

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.18 MI SSW OF I-70, BETWEEN RIVER & RRS.W.L. (AFTER CASING): 10**LOG ID:****008654**WELL TYPE

Private Well

DRILL DATE: 1944/08/TOWNSHIPRANGESECTIONELEVATION:

447FT

DRILL DEPTH: 270FT

0

0

LG30

DEPTH TO BED: 5FTUTM XUTM Y

706,437.89

4,296,963.90

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR ST. PETERSS.W.L. (AFTER CASING): 5**LOG ID:****005790**WELL TYPE

Private Well

DRILL DATE: 1939/10/TOWNSHIPRANGESECTIONELEVATION:

446FT

DRILL DEPTH: 75FT

0

0

LG30

DEPTH TO BED:UTM XUTM Y

705,442.89

4,297,410.92

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: IN ST PETERSS.W.L. (AFTER CASING):**LOG ID:****026947**WELL TYPE

Private Well

DRILL DATE: 1969/04/09TOWNSHIPRANGESECTIONELEVATION:

580FT

DRILL DEPTH: 200FT

0

0

LG301

DEPTH TO BED: 20FTUTM XUTM Y

684,916.38

4,280,989.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: S OF DANIEL BOONE HOMES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024333**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

570FT

DRILL DEPTH:

400FT

0

0

LG3035

DEPTH TO BED:

10FT

UTM XUTM Y

692,187.80

4,304,755.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

"VERY POOR SAMPLES"

S.W.L. (AFTER CASING):

100

LOG ID:**022243**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

520FT

DRILL DEPTH:

300FT

0

0

LG3035

DEPTH TO BED:

20FT

UTM XUTM Y

691,568.81

4,307,068.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006606**WELL TYPE

Private Well

DRILL DATE:

1940/11/28

TOWNSHIPRANGESECTIONELEVATION:

610FT

DRILL DEPTH:

450FT

0

0

LG3035

DEPTH TO BED:

120FT

UTM XUTM Y

692,772.81

4,303,565.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

SAMPLES MIXED, LOG REFLECTS "PROBABLE" ORDER

S.W.L. (AFTER CASING):

94

LOG ID:**024187**WELL TYPE

Private Well

DRILL DATE:

1966/04/08

TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH:

365FT

0

0

LG304

DEPTH TO BED:

40FT

UTM XUTM Y

703,135.83

4,292,779.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NEAR ST. PETERS

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025105

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE: 1967/07/26 TOWNSHIP 0 RANGE 0 SECTION LG307 ELEVATION: 427FT
DRILL DEPTH: 457FT UTM X 729,019.03 UTM Y 4,303,651.77
DEPTH TO BED: 120FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #4-S SAALE - STRUCTURE TEST- PLUGGED W/ 45 SX CEMENT
S.W.L. (AFTER CASING):

LOG ID:
019905

WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG308 ELEVATION: 532FT
DRILL DEPTH: 375FT UTM X 712,437.86 UTM Y 4,290,184.80
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: JUNG RD, ST CHARLES; 4 WELLS IN AREA, NOT SURE WHICH
S.W.L. (AFTER CASING): 175 ONE THIS IS

LOG ID:
021892

WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG308 ELEVATION: 550FT
DRILL DEPTH: 395FT UTM X 712,387.86 UTM Y 4,290,558.80
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
022553

WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG308 ELEVATION: 550FT
DRILL DEPTH: 400FT UTM X 712,391.86 UTM Y 4,290,558.80
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002861**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1933/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	606FT
<u>DRILL DEPTH:</u>	535FT	0	0	LG3106	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	410FT				697,306.69	4,282,481.76
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	S PART PF HAMBURG; LOCATION OR ELEVATION WRONG			
<u>S.W.L. (AFTER CASING):</u>	100					

LOG ID:**021504**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1962/05/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	454FT
<u>DRILL DEPTH:</u>	82FT	0	0	LG312	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					710,787.82	4,287,272.78
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ HARVESTER			
<u>S.W.L. (AFTER CASING):</u>	10					

LOG ID:**007999**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1942/10/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	524FT
<u>DRILL DEPTH:</u>	452FT	0	0	LG3138	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				716,565.93	4,294,460.81
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Georger S. Estabrook - ON HILLSIDE 30' ABOVE VALLEY FLOOR, STEEN & CUNNINGHAM SUBDIVISION			
<u>S.W.L. (AFTER CASING):</u>	45					

LOG ID:**007993**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1942/09/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	554FT
<u>DRILL DEPTH:</u>	465FT	0	0	LG3138	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				717,071.93	4,294,497.80
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of William Echelmeyer Jr			
<u>S.W.L. (AFTER CASING):</u>	70					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009951

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	571FT
		0	0	LG3180		
<u>DRILL DEPTH:</u>	165FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				698,964.80	4,292,505.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	4 MI E OF DARDENNE ON BOONSLICK RD, ACROSS RD FROM LEA			
<u>S.W.L. (AFTER CASING):</u>	55		RIDGE SCHOOL			

LOG ID:
025837

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1967/05/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	530FT
		0	0	LG3280		
<u>DRILL DEPTH:</u>	325FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				712,314.91	4,295,006.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	MUEGGE RD			
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:
024867

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1966/09/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	530FT
		0	0	LG3280		
<u>DRILL DEPTH:</u>	555FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	225FT				713,946.92	4,295,646.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
023179

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	610FT
		0	0	LG3280		
<u>DRILL DEPTH:</u>	150FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				711,424.90	4,294,953.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021214**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH:

350FT

0

0

LG3280

DEPTH TO BED:

55FT

UTM XUTM Y

713,825.90

4,293,286.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****019362**WELL TYPE

Private Well

DRILL DATE:

1960/09/

TOWNSHIPRANGESECTIONELEVATION:

500FT

DRILL DEPTH:

595FT

0

0

LG3280

DEPTH TO BED:

55FT

UTM XUTM Y

714,647.92

4,295,248.83

ZONE 15

S.W.L. (BEFORE CASING): 180 FTREMARKS: 2 MI W OF ST CHARLES, 0.5 MI N OF HWY 40S.W.L. (AFTER CASING): 180 FT**LOG ID:****019227**WELL TYPE

Community Public Well

DRILL DATE:

1960//

TOWNSHIPRANGESECTIONELEVATION:

515FT

DRILL DEPTH:

580FT

0

0

LG3280

DEPTH TO BED:

35FT

UTM XUTM Y

713,655.91

4,294,782.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Bel Nar SubdivisionS.W.L. (AFTER CASING):**LOG ID:****018726**WELL TYPE

Community Public Well

DRILL DATE:

1960/01/

TOWNSHIPRANGESECTIONELEVATION:

546FT

DRILL DEPTH:

735FT

0

0

LG3280

DEPTH TO BED:

60FT

UTM XUTM Y

713,697.93

4,296,127.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PLUGGED BACK TO 720'; MARK TWAIN UTILITY COS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017900

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1959/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	558FT
<u>DRILL DEPTH:</u>	685FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				713,271.90	4,293,827.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	25	FT	<u>REMARKS:</u>	MURGGO MOBIL MANOR, N. OF HWY 94 ON MUEGGE RD.		
<u>S.W.L. (AFTER CASING):</u>	125	FT				

LOG ID:
018342

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1959/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	565FT
<u>DRILL DEPTH:</u>	555FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				713,614.92	4,295,662.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>	0.25 miles S of Hwy 40, 1.5 miles W of St. Charles - see complete log		
<u>S.W.L. (AFTER CASING):</u>				#18715 (deepened 555-725 ft TD)		

LOG ID:
018715

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1959/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	565FT
<u>DRILL DEPTH:</u>	725FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				713,577.92	4,295,651.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	0.25 miles S of Hwy 40, 1.5 miles W of St. Charles - see log #18342		
<u>S.W.L. (AFTER CASING):</u>	120			(deepened 555-TD)		

LOG ID:
022549

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	350FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				713,841.90	4,293,239.82
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021955**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1963/10/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	505FT
<u>DRILL DEPTH:</u>	317FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				714,451.93	4,295,899.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> highway dept - VERY POOR SAMPLES "BOILERHOUSE SAMPLES"			
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:**022559**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	530FT
<u>DRILL DEPTH:</u>	300FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				712,571.92	4,295,618.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**015983**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/03/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	532FT
<u>DRILL DEPTH:</u>	375FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				715,600.91	4,293,588.81
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	105					

LOG ID:**016378**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/05/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	503FT
<u>DRILL DEPTH:</u>	455FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				714,570.94	4,296,649.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	40	FT	<u>REMARKS:</u> WESTWIND SUBDIVISION			
<u>S.W.L. (AFTER CASING):</u>	80	FT				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014661**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/03/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	515FT
<u>DRILL DEPTH:</u>	105FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				714,398.92	4,295,340.83
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	42					

REMARKS:**LOG ID:****015977**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/03/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	531FT
<u>DRILL DEPTH:</u>	375FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				715,491.91	4,293,653.81
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	90					

REMARKS:**LOG ID:****010994**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1947/04/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	540FT
<u>DRILL DEPTH:</u>	568FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				718,412.95	4,295,939.80
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	30					

REMARKS: DR. V.A. SCHNEIDER, OWNER, 5TH & MONROE ST**LOG ID:****008792**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1942/10/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	526FT
<u>DRILL DEPTH:</u>	282FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				713,556.93	4,296,274.84
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40					

REMARKS: 2 MI W OF ST CHARLES ON HWY 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010017

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1947/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	630FT
<u>DRILL DEPTH:</u>	256FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				715,824.93	4,294,692.81
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of R.A. Langenbacher - 0.5 MI NW OF ST. CHARLES			
<u>S.W.L. (AFTER CASING):</u>	70		ON BOONE LICK RD			

LOG ID:
009954

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1946/11/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	609FT
<u>DRILL DEPTH:</u>	400FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				715,851.94	4,295,954.82
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	126					

LOG ID:
006318

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	541FT
<u>DRILL DEPTH:</u>	547FT	0	0	LG3280	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				718,295.95	4,295,695.80
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	IN ST. CHARLES			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
018925

WELL TYPE
Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	432FT
<u>DRILL DEPTH:</u>	121FT	0	0	LG3292	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				734,447.05	4,309,954.78
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	RAYMOND STAHLSCHMIDT			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014391**WELL TYPE

Oil Well

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

487FT

DRILL DEPTH: 1,120FT

0

0

LG3292

DEPTH TO BED: 140FTUTM XUTM Y

739,066.05

4,309,253.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 FEES.W.L. (AFTER CASING):**LOG ID:****017227**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE: 1958//TOWNSHIPRANGESECTIONELEVATION:

410FT

DRILL DEPTH: 405FT

0

0

LG3334

DEPTH TO BED: 120FTUTM XUTM Y

730,422.05

4,308,723.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-S BEXTERMUELLERS.W.L. (AFTER CASING):**LOG ID:****024658**WELL TYPE

Private Well

DRILL DATE: 1966/07/02TOWNSHIPRANGESECTIONELEVATION:

520FT

DRILL DEPTH: 325FT

0

0

LG353

DEPTH TO BED: 140FTUTM XUTM Y

704,540.84

4,292,652.89

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: POOR LOG - DO NOT USES.W.L. (AFTER CASING):**LOG ID:****021830**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

475FT

DRILL DEPTH: 300FT

0

0

LG353

DEPTH TO BED: 55FTUTM XUTM Y

704,191.83

4,292,483.89

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ST PETERS AND COTTLEVILLE RDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005054**WELL TYPE

Private Well

DRILL DATE: 1938/06/ TOWNSHIP 0 RANGE 0 SECTION LG353 ELEVATION: 512FT
DRILL DEPTH: 105FT UTM X UTM Y
DEPTH TO BED: 20FT 703,969.83 4,292,528.89
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI N OF COTTLEVILLE, 500' NE OF RD; IN US SURVEY #753
S.W.L. (AFTER CASING):

LOG ID:**026504**WELL TYPE

Private Well

DRILL DATE: 1968/04/01 TOWNSHIP 0 RANGE 0 SECTION LG354 ELEVATION: 542FT
DRILL DEPTH: 145FT UTM X UTM Y
DEPTH TO BED: 85FT 702,866.84 4,293,689.91
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SCANNED - NO SAMPLES LOGGED - TOPS ONLY
S.W.L. (AFTER CASING):

LOG ID:**025182**WELL TYPE

Private Well

DRILL DATE: 1967/06/20 TOWNSHIP 0 RANGE 0 SECTION LG354 ELEVATION: 545FT
DRILL DEPTH: 655FT UTM X UTM Y
DEPTH TO BED: 65FT 703,953.84 4,292,896.89
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 110

LOG ID:**021764**WELL TYPE

Community Public Well

DRILL DATE: 1963// TOWNSHIP 0 RANGE 0 SECTION LG354 ELEVATION: 560FT
DRILL DEPTH: 765FT UTM X UTM Y
DEPTH TO BED: 45FT 703,230.84 4,294,089.91
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ST PETERS
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007278**WELL TYPE

Private Well

DRILL DATE: 1941// TOWNSHIP 0 RANGE 0 SECTION LG354 ELEVATION: 520FT
DRILL DEPTH: 169FT UTM X UTM Y
DEPTH TO BED: 35FT 702,482.83 4,292,705.90
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ALL SAINTSVILLE SUBDIVISION, 1 MI NW OF COTTLEVILLE
S.W.L. (AFTER CASING):

LOG ID:**019924**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG418 ELEVATION: 656FT
DRILL DEPTH: 325FT UTM X UTM Y
DEPTH TO BED: 40FT 688,608.56 4,289,236.83
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: RT 1, WENTZVILLE
S.W.L. (AFTER CASING): 155

LOG ID:**026962**WELL TYPE

Private Well

DRILL DATE: 1969/06/20 TOWNSHIP 0 RANGE 0 SECTION LG438 ELEVATION: 556FT
DRILL DEPTH: 145FT UTM X UTM Y
DEPTH TO BED: 45FT 680,900.20 4,272,903.49
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NEAR AUGUSTA; YIELDS - 1 GPM @ 85', 10 GPM @ 130', 8 GPM @
S.W.L. (AFTER CASING): 20 145'

LOG ID:**006408**WELL TYPE

Private Well

DRILL DATE: 1940// TOWNSHIP 0 RANGE 0 SECTION LG456 ELEVATION: 528FT
DRILL DEPTH: 260FT UTM X UTM Y
DEPTH TO BED: 10FT 694,728.93 4,309,244.10
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026761**WELL TYPE

Private Well

DRILL DATE: 1968/11/22TOWNSHIPRANGESECTIONELEVATION:

522FT

DRILL DEPTH: 285FT

0

0

LG476

DEPTH TO BED: 55FTUTM XUTM Y

694,814.64

4,281,191.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024470**WELL TYPE

Community Public Well

DRILL DATE: 1965/12/04TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH: 770FT

0

0

LG55

DEPTH TO BED: 75FTUTM XUTM Y

698,108.84

4,297,107.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: A. CROWELL, OWNERS.W.L. (AFTER CASING):**LOG ID:****024612**WELL TYPE

Private Well

DRILL DATE: 1966/06/04TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH: 85FT

0

0

LG55

DEPTH TO BED: 50FTUTM XUTM Y

698,951.84

4,296,331.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025464**WELL TYPE

Private Well

DRILL DATE: 1967/06/26TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH: 100FT

0

0

LG55

DEPTH TO BED: 45FTUTM XUTM Y

698,624.84

4,296,255.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: PLACKMEYER DR.S.W.L. (AFTER CASING): 6



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024887**WELL TYPE

Private Well

DRILL DATE: 1966/08/18TOWNSHIP

0

RANGE

0

SECTION

LG55

ELEVATION:

550FT

DRILL DEPTH: 385FTDEPTH TO BED: 25FTUTM X

699,344.84

UTM Y

4,296,395.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020606**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP

0

RANGE

0

SECTION

LG55

ELEVATION:

570FT

DRILL DEPTH: 200FTDEPTH TO BED: 40FTUTM X

699,306.85

UTM Y

4,296,738.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****014063**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/11/TOWNSHIP

0

RANGE

0

SECTION

LG55

ELEVATION:

572FT

DRILL DEPTH: 700FTDEPTH TO BED: 25FTUTM X

699,275.85

UTM Y

4,296,603.96

ZONE 15

S.W.L. (BEFORE CASING): 125 FTREMARKS: WELL #1S.W.L. (AFTER CASING): 135 FT**LOG ID:****011003**WELL TYPE

Private Well

DRILL DATE: 1947//TOWNSHIP

0

RANGE

0

SECTION

LG55

ELEVATION:

566FT

DRILL DEPTH: 187FTDEPTH TO BED: 35FTUTM X

699,862.85

UTM Y

4,296,493.95

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Fred Genteman - 0.25 MI N OF O'FALLON @ HWY
40 JCTS.W.L. (AFTER CASING): 55



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024950**WELL TYPE

Private Well

DRILL DATE: 1966/08/27TOWNSHIP RANGE SECTION

0

0

LG57

ELEVATION: 475FTDRILL DEPTH: 200FTUTM X UTM YDEPTH TO BED: 50FT702,984.80 4,290,295.87
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 50-65' MAY BE WARSAWS.W.L. (AFTER CASING):**LOG ID:****021903**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

0

0

LG57

ELEVATION: 545FTDRILL DEPTH: 400FTUTM X UTM YDEPTH TO BED: 20FT703,209.80 4,290,033.86
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020854**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

0

0

LG58

ELEVATION: 488FTDRILL DEPTH: 200FTUTM X UTM YDEPTH TO BED: 25FT704,765.83 4,291,419.87
ZONE 15S.W.L. (BEFORE CASING):REMARKS: formerly in name of Willis D. HambyS.W.L. (AFTER CASING):**LOG ID:****021201**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

0

0

LG58

ELEVATION: 485FTDRILL DEPTH: 275FTUTM X UTM YDEPTH TO BED: 15FT704,765.83 4,291,316.87
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021123**WELL TYPE

Private Well

DRILL DATE: 1962/05/19TOWNSHIP RANGE SECTION

0

0

LG58

ELEVATION: 492FTDRILL DEPTH: 155FTUTM X UTM YDEPTH TO BED: 25FT

704,809.82 4,291,115.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: Valli Acres Subivision, 7.5 miles S of St. Charles on Hwy N - formerly in name of Kenneth CunninghamS.W.L. (AFTER CASING):**LOG ID:****021774**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

0

0

LG58

ELEVATION: 488FTDRILL DEPTH: 255FTUTM X UTM YDEPTH TO BED: 25FT

704,770.83 4,291,374.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: VALLIE ACRES, COTTLEVILLES.W.L. (AFTER CASING):**LOG ID:****006906**WELL TYPE

Private Well

DRILL DATE: 1941/05/TOWNSHIP RANGE SECTION

0

0

LG58

ELEVATION: 533FTDRILL DEPTH: 200FTUTM X UTM YDEPTH TO BED: 15FT

704,799.82 4,290,977.86

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4 MI S OF ST. PETERSS.W.L. (AFTER CASING):**LOG ID:****025843**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1967/03/29TOWNSHIP RANGE SECTION

0

0

LG61

ELEVATION: 617FTDRILL DEPTH: 195FTUTM X UTM YDEPTH TO BED: 30FT

689,245.61 4,292,295.88

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: S SD HWY N, 3 MI W OF JCT HWYS 5, 40, & 61 @ DARDENNES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024660**WELL TYPE

Private Well

DRILL DATE: 1966/06/22TOWNSHIP

0

RANGE

0

SECTION

LG62

ELEVATION:

460FT

DRILL DEPTH: 345FTDEPTH TO BED: 85FTUTM X

707,516.90

UTM Y

4,296,798.89

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028633**WELL TYPE

Community Public Well

DRILL DATE: 1985/06/03TOWNSHIP

0

RANGE

0

SECTION

LG67

ELEVATION:

518FT

DRILL DEPTH: 1,540FTDEPTH TO BED: 45FTUTM X

699,612.81

UTM Y

4,293,036.93

ZONE 15

S.W.L. (BEFORE CASING): 194 FTREMARKS:S.W.L. (AFTER CASING): 288 FT**LOG ID:****025213**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1967/04/TOWNSHIP

0

RANGE

0

SECTION

LG731

ELEVATION:

475FT

DRILL DEPTH: 1,397FTDEPTH TO BED: 30FTUTM X

703,161.89

UTM Y

4,298,475.94

ZONE 15

S.W.L. (BEFORE CASING): 32 FTREMARKS: formerly in name of Monsanto Chemical Co - near St. PetersS.W.L. (AFTER CASING): 68 FT**LOG ID:****019732**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP

0

RANGE

0

SECTION

LG731

ELEVATION:

458FT

DRILL DEPTH: 150FTDEPTH TO BED: 90FTUTM X

704,910.89

UTM Y

4,297,629.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ST PETERSS.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018656**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	478FT
<u>DRILL DEPTH:</u>	1,485FT	0	0	LG731	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				703,216.89	4,298,651.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	40	FT	<u>REMARKS:</u>	formerly in name of Monsanto Chemical Co Well #1 - between Wabash		
<u>S.W.L. (AFTER CASING):</u>	50	FT		RR & Hwy 79, O'Fallon		

LOG ID:**006463**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	530FT
<u>DRILL DEPTH:</u>	70FT	0	0	LG735	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				710,117.92	4,297,183.88
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>	4 MI E OF ST. PETERS, 5 MI W OF ST. CHARLES		
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**028752**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1995/03/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	500FT
<u>DRILL DEPTH:</u>	1,345FT	0	0	LG737	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				686,895.61	4,301,770.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	150					

LOG ID:**024528**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1966/11/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	466FT
<u>DRILL DEPTH:</u>	41FT	0	0	LG743	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					711,800.82	4,286,170.76
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	RIVER PROFILE STUDY		
<u>S.W.L. (AFTER CASING):</u>	25					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026512

WELL TYPE
Private Well

DRILL DATE: 1968/10/28 TOWNSHIP 0 RANGE 0 SECTION LG743 ELEVATION: 525FT
DRILL DEPTH: 325FT UTM X 712,567.82 UTM Y 4,285,927.75
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MUEGGE RD; SCANNED - NO SAMPLES LOGGED - TOPS ONLY
S.W.L. (AFTER CASING):

LOG ID:
005940

WELL TYPE
Private Well

DRILL DATE: 1940/03/ TOWNSHIP 0 RANGE 0 SECTION LG749 ELEVATION: 439FT
DRILL DEPTH: 147FT UTM X 703,668.89 UTM Y 4,298,933.94
DEPTH TO BED: 78FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: IN MO RIVER BOTTOMS NEAR ST PETERS
S.W.L. (AFTER CASING): 18

LOG ID:
001805

WELL TYPE
Private Well

DRILL DATE: 1914/09/10 TOWNSHIP 0 RANGE 0 SECTION LG754 ELEVATION: 530FT
DRILL DEPTH: 300FT UTM X 693,869.91 UTM Y 4,309,464.09
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 55

LOG ID:
026382

WELL TYPE
Private Well

DRILL DATE: 1967/11/11 TOWNSHIP 0 RANGE 0 SECTION LG755 ELEVATION: 480FT
DRILL DEPTH: 445FT UTM X 694,896.95 UTM Y 4,310,396.12
DEPTH TO BED: 160FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: DYER RD, OLD MONROE; OLD WELL DEEPENED 160-445'
S.W.L. (AFTER CASING): 50

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024279

WELL TYPE
Private Well

DRILL DATE: 1966/05/01

TOWNSHIP RANGE SECTION

ELEVATION: 480FT

DRILL DEPTH: 276FT

0 0 LG755

DEPTH TO BED: 70FT

UTM X UTM Y
694,771.95 4,310,316.11
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI S OF OLD MONROE ON RIVER RD

S.W.L. (AFTER CASING):

LOG ID:
006804

WELL TYPE
Private Well

DRILL DATE: 1940/12/20

TOWNSHIP RANGE SECTION

ELEVATION: 522FT

DRILL DEPTH: 310FT

0 0 LG755

DEPTH TO BED: 20FT

UTM X UTM Y
694,835.94 4,309,837.11
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 100

LOG ID:
025544

WELL TYPE
Private Well

DRILL DATE: 1967/08/02

TOWNSHIP RANGE SECTION

ELEVATION: 481FT

DRILL DEPTH: 225FT

0 0 LG8

DEPTH TO BED: 60FT

UTM X UTM Y
698,576.90 4,302,951.02
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: N OF O'FALLON ON OLD HWY 79

S.W.L. (AFTER CASING): 40

LOG ID:
024394

WELL TYPE
Private Well

DRILL DATE: 1966/05/10

TOWNSHIP RANGE SECTION

ELEVATION: 635FT

DRILL DEPTH: 465FT

0 0 LG825

DEPTH TO BED: 65FT

UTM X UTM Y
691,032.67 4,293,660.91
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025249**WELL TYPE

Private Well

DRILL DATE: 1967/08/03TOWNSHIP

0

RANGE

0

SECTION

LG888

ELEVATION:

570FT

DRILL DEPTH: 125FTDEPTH TO BED: 60FTUTM X

690,091.68

UTM Y

4,298,146.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 26**LOG ID:****007191**WELL TYPE

Private Well

DRILL DATE: 1941/07/04TOWNSHIP

0

RANGE

0

SECTION

LG929

ELEVATION:

565FT

DRILL DEPTH: 180FTDEPTH TO BED: 20FTUTM X

691,886.72

UTM Y

4,296,343.95

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 30**LOG ID:****024922**WELL TYPE

Private Well

DRILL DATE: 1966/08/30TOWNSHIP

0

RANGE

0

SECTION

LG937

ELEVATION:

516FT

DRILL DEPTH: 265FTDEPTH TO BED: 60FTUTM X

692,913.58

UTM Y

4,280,143.70

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR DEFIANCES.W.L. (AFTER CASING):**LOG ID:****019883**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP

0

RANGE

0

SECTION

LG937

ELEVATION:

551FT

DRILL DEPTH: 250FTDEPTH TO BED: 5FTUTM X

692,469.57

UTM Y

4,280,392.70

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: RT 1, DEFIANCES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025404**WELL TYPE

Private Well

DRILL DATE: 1966/11/07TOWNSHIPRANGESECTIONELEVATION:

580FT

DRILL DEPTH: 385FT

0

0

LG948

DEPTH TO BED: 65FTUTM XUTM Y

704,426.79

4,288,158.83

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: INDEPENDENCE RDS.W.L. (AFTER CASING): 120**LOG ID:****025491**WELL TYPE

Private Well

DRILL DATE: 1967/04/29TOWNSHIPRANGESECTIONELEVATION:

580FT

DRILL DEPTH: 305FT

0

0

LG948

DEPTH TO BED: 55FTUTM XUTM Y

703,998.80

4,289,295.85

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: CRYSTAL HILL TERRACE, HARVESTER S - 4 MI.S.W.L. (AFTER CASING): 130**LOG ID:****019853**WELL TYPE

Private Well

DRILL DATE: 1961/04/TOWNSHIPRANGESECTIONELEVATION:

596FT

DRILL DEPTH: 325FT

0

0

LG948

DEPTH TO BED: 25FTUTM XUTM Y

704,477.80

4,289,311.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI W OF HARVESTER, JUST OFF HWY 94 - MAY BE
MISLOCATEDS.W.L. (AFTER CASING):**LOG ID:****019868**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

566FT

DRILL DEPTH: 225FT

0

0

LG948

DEPTH TO BED: 25FTUTM XUTM Y

703,439.80

4,289,747.86

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ABT 1-1.25 MI FROM COTTLEVILLE TOWARD HWY 94, BEHIND
CHURCHS.W.L. (AFTER CASING): 115



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020660**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH:

275FT

0

0

LG948

DEPTH TO BED:

30FT

UTM XUTM Y

703,932.80

4,289,165.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

HWY 94, CRYSTAL HILL TERRACE

S.W.L. (AFTER CASING):**LOG ID:****021696**WELL TYPE

Private Well

DRILL DATE:

1963/06/02

TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH:

385FT

0

0

LG948

DEPTH TO BED:

35FT

UTM XUTM Y

704,381.80

4,289,358.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

CALDLE HEIGHTS SUBDIV., 4 MI N OF HWY 40 ON HWY 94

S.W.L. (AFTER CASING):**LOG ID:****022232**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

580FT

DRILL DEPTH:

560FT

0

0

LG948

DEPTH TO BED:

20FT

UTM XUTM Y

704,524.81

4,290,329.86

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

formerly in name of Albert Pridmore

S.W.L. (AFTER CASING):**LOG ID:****010032**WELL TYPE

Private Well

DRILL DATE:

1948/05/

TOWNSHIPRANGESECTIONELEVATION:

555FT

DRILL DEPTH:

176FT

0

0

LG948

DEPTH TO BED:

80FT

UTM XUTM Y

703,659.80

4,289,311.85

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI N OF COTTLEVILLE; "CAN'T LOCATE"

S.W.L. (AFTER CASING):

45



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027569**WELL TYPE

Private Well

DRILL DATE: 1970/12/18TOWNSHIP

0

RANGE

0

SECTION

LG970

ELEVATION:

650FT

DRILL DEPTH: 285FTDEPTH TO BED: 65FTUTM X

691,564.52

UTM Y

4,278,083.65

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 160**LOG ID:****026537**WELL TYPE

Monitoring Well

DRILL DATE: 1969/11/17TOWNSHIP

0

RANGE

0

SECTION

LG9999

ELEVATION:

423FT

DRILL DEPTH: 1,635FTDEPTH TO BED: 140FTUTM X

743,586.06

UTM Y

4,301,246.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2-TSS CORA ISLAND; SCANNED ONLY - "POOR SAMPLES"S.W.L. (AFTER CASING):**LOG ID:****025551**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE: 1968/04/10TOWNSHIP

0

RANGE

0

SECTION

LG9999

ELEVATION:

421FT

DRILL DEPTH: 433FTDEPTH TO BED: 145FTUTM X

743,633.06

UTM Y

4,300,928.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2-S H. BECKMAN; STRUCTURE TESTS.W.L. (AFTER CASING):**LOG ID:****025549**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE: 1967/03/11TOWNSHIP

0

RANGE

0

SECTION

LG9999

ELEVATION:

426FT

DRILL DEPTH: 446FTDEPTH TO BED: 150FTUTM X

743,744.06

UTM Y

4,301,675.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2-S C. DEGEAL; STRUCTURE TEST - PLUGGEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025493**WELL TYPE

Private Well

DRILL DATE: 1967/06/20TOWNSHIP RANGE SECTION

44N

1E

1

ELEVATION: 720FTDRILL DEPTH: 345FTUTM X UTM YDEPTH TO BED: 75FT

686,402.35 4,274,610.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SCHULERBURG RD - MATSON; 0.5 GPM @ 115', 5.5 GPM @ 320', 4 GPM @ 335'S.W.L. (AFTER CASING):**LOG ID:****011764**WELL TYPE

Private Well

DRILL DATE: 1950//TOWNSHIP RANGE SECTION

44N

1E

11

ELEVATION: 794FTDRILL DEPTH: 526FTUTM X UTM YDEPTH TO BED: 212FT

684,629.29 4,272,766.51

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****005030**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1938/07/TOWNSHIP RANGE SECTION

44N

1E

11

ELEVATION: 575FTDRILL DEPTH: 352FTUTM X UTM YDEPTH TO BED: 10FT

684,601.28 4,271,969.49

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ AUGUSTAS.W.L. (AFTER CASING): 40**LOG ID:****022330**WELL TYPE

Private Well

DRILL DATE: 1963/10/02TOWNSHIP RANGE SECTION

44N

1E

12

ELEVATION: 532FTDRILL DEPTH: 176FTUTM X UTM YDEPTH TO BED: 5FT

686,119.33 4,272,698.52

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E OF AUGUSTA ON HWY 94, 1 MI N; "CAN'T LOCATE"S.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024558**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07TOWNSHIPRANGESECTIONELEVATION:

468FT

DRILL DEPTH: 80FT

44N

1E

14

DEPTH TO BED: 80FTUTM XUTM Y

684,460.27

4,270,920.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: RIVER PROFILE STUDYS.W.L. (AFTER CASING): 14**LOG ID:****024525**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07TOWNSHIPRANGESECTIONELEVATION:

471FT

DRILL DEPTH: 105FT

44N

1E

14

DEPTH TO BED: 105FTUTM XUTM Y

684,400.25

4,269,398.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: RIVER PROFILE STUDYS.W.L. (AFTER CASING):**LOG ID:****020579**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

616FT

DRILL DEPTH: 400FT

44N

1E

14

DEPTH TO BED: 10FTUTM XUTM Y

684,322.27

4,271,276.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ AUGUSTAS.W.L. (AFTER CASING):**LOG ID:****020664**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

540FT

DRILL DEPTH: 300FT

44N

1E

14

DEPTH TO BED: 15FTUTM XUTM Y

684,833.28

4,271,505.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ Augusta - formerly in name of James GrovemanS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019446**WELL TYPE

Private Well

DRILL DATE: 1960/04/05TOWNSHIPRANGESECTIONELEVATION:

581FT

DRILL DEPTH: 285FT

44N

1E

15

DEPTH TO BED: 25FTUTM XUTM Y

682,116.21

4,270,958.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI W OF AUGUSTA; YIELD - 15 GPM @ 145'S.W.L. (AFTER CASING):**LOG ID:****024723**WELL TYPE

Private Well

DRILL DATE: 1965/10/TOWNSHIPRANGESECTIONELEVATION:

540FT

DRILL DEPTH: 338FT

44N

1E

2

DEPTH TO BED: 35FTUTM XUTM Y

684,501.30

4,274,282.53

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024954**WELL TYPE

Private Well

DRILL DATE: 1966/09/08TOWNSHIPRANGESECTIONELEVATION:

832FT

DRILL DEPTH: 585FT

44N

1E

6

DEPTH TO BED: 85FTUTM XUTM Y

678,152.14

4,273,972.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR AUGUSTA, NO RESIDUES MADES.W.L. (AFTER CASING):**LOG ID:****024506**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07TOWNSHIPRANGESECTIONELEVATION:

462FT

DRILL DEPTH: 31FT

44N

2E

3

DEPTH TO BED:UTM XUTM Y

692,146.49

4,273,885.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: RIVER PROFILE STUDYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022352**WELL TYPE

Private Well

DRILL DATE: 1963/09/26TOWNSHIP RANGE SECTION

44N

2E

7

ELEVATION: 762FTDRILL DEPTH: 730FTUTM X UTM Y

686,985.35 4,272,938.53

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 273**LOG ID:****025835**WELL TYPE

Private Well

DRILL DATE: 1967/05/08TOWNSHIP RANGE SECTION

45N

1E

19

ELEVATION: 778FTDRILL DEPTH: 265FTUTM X UTM Y

677,259.16 4,279,215.55

ZONE 15

DEPTH TO BED: 65FTS.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES LOGGED - TOPS ONLYS.W.L. (AFTER CASING): 240**LOG ID:****026419**WELL TYPE

Private Well

DRILL DATE: 1967/11/15TOWNSHIP RANGE SECTION

45N

1E

19

ELEVATION: 778FTDRILL DEPTH: 345FTUTM X UTM Y

677,315.17 4,279,346.56

ZONE 15

DEPTH TO BED: 105FTS.W.L. (BEFORE CASING): FTREMARKS: NEAR MARTHASVILLE; SCANNED, NO SAMPLES LOGGED - TOPS ONLYS.W.L. (AFTER CASING): 230**LOG ID:****020670**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

45N

1E

20

ELEVATION: 647FTDRILL DEPTH: 175FTUTM X UTM Y

679,413.22 4,278,735.57

ZONE 15

DEPTH TO BED: 10FTS.W.L. (BEFORE CASING):REMARKS: ON FEMME OSAGE; formerly in name of Charles LeabitS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025283**WELL TYPE

Private Well

DRILL DATE: 1967/02/ TOWNSHIP 45N RANGE 1E SECTION 25 ELEVATION: 544FT
DRILL DEPTH: 85FT UTM X 686,324.39 UTM Y 4,278,096.61
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NEAR AUGUSTA - SCHULERSBURG RD
S.W.L. (AFTER CASING): 20

LOG ID:**024673**WELL TYPE

Private Well

DRILL DATE: 1966/06/20 TOWNSHIP 45N RANGE 1E SECTION 26 ELEVATION: 576FT
DRILL DEPTH: 226FT UTM X 685,133.35 UTM Y 4,277,204.59
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**023250**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 45N RANGE 1E SECTION 31 ELEVATION: 798FT
DRILL DEPTH: 325FT UTM X 678,488.17 UTM Y 4,276,131.52
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OSAGE HILLS RD, AUGUSTA; "CAN'T LOCATE", NOT AT RIGHT
S.W.L. (AFTER CASING): LOCATION

LOG ID:**024398**WELL TYPE

Private Well

DRILL DATE: 1966/05/06 TOWNSHIP 45N RANGE 1E SECTION 7 ELEVATION: 857FT
DRILL DEPTH: 385FT UTM X 677,724.21 UTM Y 4,282,550.61
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022523**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

820FT

DRILL DEPTH:

400FT

45N

1E

7

DEPTH TO BED:

55FT

UTM XUTM Y

678,292.22

4,282,172.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ELEVATION MAY BE WRONGS.W.L. (AFTER CASING):**LOG ID:****004843**WELL TYPE

Private Well

DRILL DATE:

1938/06/

TOWNSHIPRANGESECTIONELEVATION:

678FT

DRILL DEPTH:

235FT

45N

2E

1

DEPTH TO BED:

110FT

UTM XUTM Y

696,415.69

4,283,684.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1.4 MI E OF HOWELL ON HWY DS.W.L. (AFTER CASING):**LOG ID:****023467**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

734FT

DRILL DEPTH:

510FT

45N

2E

10

DEPTH TO BED:

50FT

UTM XUTM Y

692,124.57

4,281,731.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELDS - 8 GPM @ 318', 20 GPM @ 510'S.W.L. (AFTER CASING):**LOG ID:****024879**WELL TYPE

Private Well

DRILL DATE:

1966/10/27

TOWNSHIPRANGESECTIONELEVATION:

709FT

DRILL DEPTH:

485FT

45N

2E

10

DEPTH TO BED:

45FT

UTM XUTM Y

691,928.57

4,281,962.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR DEFIANCE - GOOD LOGS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019815

WELL TYPE
Private Well

DRILL DATE: 1961/04/ TOWNSHIP 45N RANGE 2E SECTION 10 ELEVATION: 739FT
DRILL DEPTH: 300FT UTM X 692,087.58 UTM Y 4,282,022.73
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HSY DD, DEFIANCE
S.W.L. (AFTER CASING):

LOG ID:
025670

WELL TYPE
Private Well

DRILL DATE: 1967/05/19 TOWNSHIP 45N RANGE 2E SECTION 21 ELEVATION: 521FT
DRILL DEPTH: 145FT UTM X 690,607.51 UTM Y 4,279,463.67
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
024501

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07 TOWNSHIP 45N RANGE 2E SECTION 26 ELEVATION: 465FT
DRILL DEPTH: 38FT UTM X 694,035.58 UTM Y 4,277,367.66
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: RIVER PROFILE SLTUDY
S.W.L. (AFTER CASING):

LOG ID:
026494

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 45N RANGE 2E SECTION 28 ELEVATION: 708FT
DRILL DEPTH: 305FT UTM X 690,564.49 UTM Y 4,277,564.63
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020667

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 695FT
45N 2E 32
DRILL DEPTH: 300FT
DEPTH TO BED: 25FT UTM X UTM Y
689,848.46 4,276,080.60
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: @ MATSON
S.W.L. (AFTER CASING):

LOG ID:
027248

WELL TYPE
Private Well

DRILL DATE: 1969/10/02 TOWNSHIP RANGE SECTION ELEVATION: 680FT
45N 2E 33
DRILL DEPTH: 265FT UTM X UTM Y
DEPTH TO BED: 25FT 689,960.46 4,276,035.60
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NEAR MATSON; YIELDS - 1.5 GPM @ 40', 3.5 GPM @ 220', 2.5 GPM
S.W.L. (AFTER CASING): 180 @ 265'

LOG ID:
025844

WELL TYPE
Private Well

DRILL DATE: 1967/03/03 TOWNSHIP RANGE SECTION ELEVATION: 732FT
45N 2E 4
DRILL DEPTH: 505FT UTM X UTM Y
DEPTH TO BED: 50FT 690,806.56 4,283,510.74
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI S OF JCT HWYS O & DD ON HWY DD
S.W.L. (AFTER CASING): 90

LOG ID:
026186

WELL TYPE
Private Well

DRILL DATE: 1969/05/20 TOWNSHIP RANGE SECTION ELEVATION: 555FT
45N 2E 6
DRILL DEPTH: 194FT UTM X UTM Y
DEPTH TO BED: 50FT 686,962.47 4,284,225.72
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CORE-HOLE IN ABUTMENT NEAR DAMSITE - ELEVATION WRONG
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026044**WELL TYPE

Core Description

DRILL DATE: 1969/02/19 TOWNSHIP 45N RANGE 2E SECTION 6 ELEVATION: 554FT
DRILL DEPTH: 140FT UTM X 686,891.46 UTM Y 4,284,221.72
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: IN CREEK BEDD BELOW WEST HOUSE
S.W.L. (AFTER CASING):

LOG ID:**026199**WELL TYPE

Private Well

DRILL DATE: 1968/05/27 TOWNSHIP 45N RANGE 2E SECTION 8 ELEVATION: 705FT
DRILL DEPTH: 287FT UTM X 689,134.50 UTM Y 4,282,457.71
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SCANNED, TOPS ONLY, NO SAMPLES LOGGED; YIELDS - 12 GPM
S.W.L. (AFTER CASING): @ 205, 15 & TD

LOG ID:**019000**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 45N RANGE 2E SECTION 8 ELEVATION: 549FT
DRILL DEPTH: 160FT UTM X 688,881.51 UTM Y 4,283,224.72
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI SE OF NEW MELLE; - MAY BE WRONG LOCATION
S.W.L. (AFTER CASING): 40

LOG ID:**005878**WELL TYPE

Private Well

DRILL DATE: 1940// TOWNSHIP 45N RANGE 3E SECTION 4 ELEVATION: 646FT
DRILL DEPTH: 779FT UTM X 700,140.73 UTM Y 4,284,343.79
DEPTH TO BED: 300FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ABT 2 MI ABOVE NEW DANIEL BOONE BRIDGE ON BLUFF,
S.W.L. (AFTER CASING): 150 200-250' ABOVE RIVER



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026513

WELL TYPE
Private Well

DRILL DATE: 1968/10/28 TOWNSHIP 46N RANGE 1E SECTION 1 ELEVATION: 660FT
DRILL DEPTH: 205FT UTM X 685,228.50 UTM Y 4,293,523.84
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SCANNED - TOPS ONLY; ON BUCKNER RD NEAR WENTZVILLE
S.W.L. (AFTER CASING):

LOG ID:
026487

WELL TYPE
Private Well

DRILL DATE: 1968/10/07 TOWNSHIP 46N RANGE 1E SECTION 1 ELEVATION: 659FT
DRILL DEPTH: 350FT UTM X 685,963.53 UTM Y 4,294,150.86
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OFF HWY Z & BOONSLICK RD
S.W.L. (AFTER CASING):

LOG ID:
028039

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP 46N RANGE 1E SECTION 1 ELEVATION: 665FT
DRILL DEPTH: 757FT UTM X 685,624.52 UTM Y 4,293,903.85
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 210

LOG ID:
022234

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 46N RANGE 1E SECTION 1 ELEVATION: 672FT
DRILL DEPTH: 225FT UTM X 686,712.55 UTM Y 4,293,349.86
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006269**WELL TYPE

Private Well

DRILL DATE: 1940/08/03TOWNSHIP RANGE SECTION

46N

1E

1

ELEVATION: 675FTDRILL DEPTH: 235FTUTM X UTM YDEPTH TO BED: 70FT685,399.51 4,293,148.84
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: NEAR WENTZVILLES.W.L. (AFTER CASING): 100**LOG ID:****025229**WELL TYPE

Private Well

DRILL DATE: 1967/02/08TOWNSHIP RANGE SECTION

46N

1E

11

ELEVATION: 675FTDRILL DEPTH: 425FTUTM X UTM YDEPTH TO BED: 85FT683,865.46 4,292,977.82
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: S OF WENTZVILLES.W.L. (AFTER CASING): 100**LOG ID:****026754**WELL TYPE

Private Well

DRILL DATE: 1969/03/25TOWNSHIP RANGE SECTION

46N

1E

12

ELEVATION: 682FTDRILL DEPTH: 285FTUTM X UTM YDEPTH TO BED: 110FT685,576.51 4,292,964.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: SCANNED - TOPS ONLYS.W.L. (AFTER CASING):**LOG ID:****027290**WELL TYPE

Private Well

DRILL DATE: 1969/10/23TOWNSHIP RANGE SECTION

46N

1E

12

ELEVATION: 680FTDRILL DEPTH: 365FTUTM X UTM YDEPTH TO BED: 105FT685,513.51 4,293,012.84
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: HWY 40-61 W TO HWY MS.W.L. (AFTER CASING): 105

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008001

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1942//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	754FT
<u>DRILL DEPTH:</u>	370FT	46N	1E	15		
<u>DEPTH TO BED:</u>	55FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				682,643.41	4,290,483.78
<u>S.W.L. (AFTER CASING):</u>	200				ZONE 15	
		<u>REMARKS:</u>	formerly in name of Harvey Barbelt - CALLAWAY TWNSHP; MAY BE ON HOUSE SPRINGS STRUCTURE			

LOG ID:
026941

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1969/04/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	660FT
<u>DRILL DEPTH:</u>	225FT	46N	1E	2		
<u>DEPTH TO BED:</u>	65FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					685,166.51	4,294,089.85
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
		<u>REMARKS:</u>	"HWY N - PASS Z"			

LOG ID:
026859

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1969/04/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	666FT
<u>DRILL DEPTH:</u>	345FT	46N	1E	2		
<u>DEPTH TO BED:</u>	45FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				684,231.48	4,294,366.84
<u>S.W.L. (AFTER CASING):</u>	100				ZONE 15	
		<u>REMARKS:</u>				

LOG ID:
027240

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1969/08/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	638FT
<u>DRILL DEPTH:</u>	265FT	46N	1E	2		
<u>DEPTH TO BED:</u>	45FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				684,995.50	4,294,299.85
<u>S.W.L. (AFTER CASING):</u>	55				ZONE 15	
		<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024876

WELL TYPE
Private Well

DRILL DATE: 1966/07/27

TOWNSHIP RANGE SECTION

ELEVATION: 670FT

DRILL DEPTH: 345FT

46N 1E 22

DEPTH TO BED: 65FT

UTM X UTM Y
683,291.42 4,289,566.77
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR NEW MELLE - LOCATION APPROXIMATE

S.W.L. (AFTER CASING):

LOG ID:
012152

WELL TYPE
Private Well

DRILL DATE: 1950/10/

TOWNSHIP RANGE SECTION

ELEVATION: 671FT

DRILL DEPTH: 420FT

46N 1E 24

DEPTH TO BED: 35FT

UTM X UTM Y
686,123.49 4,289,042.80
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of R. Hughes - 2 MI SE OF NEW MELLE; FORMER
OWNER R. HUGHES

S.W.L. (AFTER CASING): 120

LOG ID:
020564

WELL TYPE
Private Well

DRILL DATE: 1961//

TOWNSHIP RANGE SECTION

ELEVATION: 729FT

DRILL DEPTH: 325FT

46N 1E 25

DEPTH TO BED: 35FT

UTM X UTM Y
685,576.46 4,287,300.76
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
026231

WELL TYPE
Community Public Well

DRILL DATE: 1969//

TOWNSHIP RANGE SECTION

ELEVATION: 777FT

DRILL DEPTH: 1,170FT

46N 1E 26

DEPTH TO BED: 80FT

UTM X UTM Y
684,575.43 4,287,034.74
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: WELL #1 - YIELD - 80 GPM @ 550'

S.W.L. (AFTER CASING): 235

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023193

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 751FT
46N 1E 26

DRILL DEPTH: 400FT UTM X UTM Y
DEPTH TO BED: 50FT 684,463.43 4,287,366.75
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: "CAN'T LOCATE", SECTION QUESTIONED; IN NEW MELLE AREA

S.W.L. (AFTER CASING):

LOG ID:
013922

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1955/08/00 TOWNSHIP RANGE SECTION ELEVATION: 784FT
46N 1E 26

DRILL DEPTH: 515FT UTM X UTM Y
DEPTH TO BED: 65FT 683,827.41 4,286,753.73
ZONE 15

S.W.L. (BEFORE CASING): 237 FT REMARKS: ON HWY D

S.W.L. (AFTER CASING): 260 FT

LOG ID:
024736

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1966/07/ TOWNSHIP RANGE SECTION ELEVATION: 734FT
46N 1E 27

DRILL DEPTH: 235FT UTM X UTM Y
DEPTH TO BED: 15FT 682,182.38 4,288,009.74
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 1 MI DUE W OF NEW MELLE

S.W.L. (AFTER CASING):

LOG ID:
027616

WELL TYPE
Private Well

DRILL DATE: 1970/09/22 TOWNSHIP RANGE SECTION ELEVATION: 770FT
46N 1E 27

DRILL DEPTH: 400FT UTM X UTM Y
DEPTH TO BED: 70FT 682,801.38 4,286,845.72
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: NEAR NEW MELLE; 1 GPM @ 330', 9 GPM @ 390-400'

S.W.L. (AFTER CASING): 250

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022558

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 820FT
46N 1E 29

DRILL DEPTH: 300FT UTM X UTM Y
DEPTH TO BED: 200FT 679,632.29 4,286,616.69
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: formerly in name of Lester P. Nieme

S.W.L. (AFTER CASING):

LOG ID:
027371

WELL TYPE
Private Well

DRILL DATE: 1969/09/25 TOWNSHIP RANGE SECTION ELEVATION: 696FT
46N 1E 3

DRILL DEPTH: 645FT UTM X UTM Y
DEPTH TO BED: 165FT 682,438.43 4,294,255.82
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 205

LOG ID:
027527

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 692FT
46N 1E 3

DRILL DEPTH: 305FT UTM X UTM Y
DEPTH TO BED: 125FT 682,870.44 4,293,380.81
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
027594

WELL TYPE
Private Well

DRILL DATE: 1970/09/16 TOWNSHIP RANGE SECTION ELEVATION: 795FT
46N 1E 32

DRILL DEPTH: 405FT UTM X UTM Y
DEPTH TO BED: 125FT 679,535.29 4,285,953.68
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: NEAR NEW MELLE

S.W.L. (AFTER CASING): 270



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024874**WELL TYPE

Private Well

DRILL DATE: 1966/09/12TOWNSHIP RANGE SECTION

46N

1E

33

ELEVATION: 782FTDRILL DEPTH: 405FTUTM X UTM YDEPTH TO BED: 95FT681,927.35 4,286,482.71
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NEAR NEW MELLES.W.L. (AFTER CASING):**LOG ID:****026530**WELL TYPE

Private Well

DRILL DATE: 1968/10/28TOWNSHIP RANGE SECTION

46N

1E

4

ELEVATION: 686FTDRILL DEPTH: 305FTUTM X UTM YDEPTH TO BED: 105FT681,524.40 4,294,166.80
ZONE 15S.W.L. (BEFORE CASING):REMARKS: SCANNED - TOPS ONLYS.W.L. (AFTER CASING):**LOG ID:****006605**WELL TYPE

Private Well

DRILL DATE: 1940//TOWNSHIP RANGE SECTION

46N

1E

4

ELEVATION: 718FTDRILL DEPTH: 200FTUTM X UTM YDEPTH TO BED: 40FT680,901.38 4,293,352.79
ZONE 15S.W.L. (BEFORE CASING):REMARKS: S.5 MI S OF ASTER HOTELS.W.L. (AFTER CASING):**LOG ID:****026943**WELL TYPE

Private Well

DRILL DATE: 1969/07/TOWNSHIP RANGE SECTION

46N

1E

9

ELEVATION: 722FTDRILL DEPTH: 415FTUTM X UTM YDEPTH TO BED: 85FT681,805.40 4,292,246.79
ZONE 15S.W.L. (BEFORE CASING):REMARKS: N RD W TO POINT PRAIRIE RDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028440**WELL TYPE

Community Public Well

DRILL DATE: 1980/07/21TOWNSHIPRANGESECTIONELEVATION:

647FT

DRILL DEPTH: 1,575FT

46N

2E

1

DEPTH TO BED: 45FTUTM XUTM Y

695,291.79

4,293,854.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008798**WELL TYPE

Private Well

DRILL DATE: 1945/03/10TOWNSHIPRANGESECTIONELEVATION:

650FT

DRILL DEPTH: 220FT

46N

2E

1

DEPTH TO BED: 25FTUTM XUTM Y

694,983.79

4,294,456.97

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF DARDENNE ON O'FALLON RFD 1S.W.L. (AFTER CASING): 120**LOG ID:****026228**WELL TYPE

Private Well

DRILL DATE: 1968/02/29TOWNSHIPRANGESECTIONELEVATION:

622FT

DRILL DEPTH: 194FT

46N

2E

10

DEPTH TO BED: 55FTUTM XUTM Y

692,538.69

4,291,613.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SCANNED - NO FMS EXCEPT BURLINGTON IDENTIFIEDS.W.L. (AFTER CASING):**LOG ID:****027404**WELL TYPE

Community Public Well

DRILL DATE: 1973/08/13TOWNSHIPRANGESECTIONELEVATION:

621FT

DRILL DEPTH: 892FT

46N

2E

11

DEPTH TO BED: 20FTUTM XUTM Y

694,036.74

4,292,499.94

ZONE 15

S.W.L. (BEFORE CASING): 186 FTREMARKS:S.W.L. (AFTER CASING): 80 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025115**WELL TYPE

Private Well

DRILL DATE: 1967/03/14TOWNSHIPRANGESECTIONELEVATION:

585FT

DRILL DEPTH: 205FT

46N

2E

11

DEPTH TO BED: 75FTUTM XUTM Y

694,836.77

4,292,700.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007037**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1941/07/TOWNSHIPRANGESECTIONELEVATION:

605FT

DRILL DEPTH: 685FT

46N

2E

12

DEPTH TO BED: 265FTUTM XUTM Y

695,108.76

4,291,609.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #2 NEW PUMPING STATION, NE SD HWY 61-40S.W.L. (AFTER CASING): 75**LOG ID:****026492**WELL TYPE

Private Well

DRILL DATE: 1968/08/20TOWNSHIPRANGESECTIONELEVATION:

624FT

DRILL DEPTH: 265FT

46N

2E

17

DEPTH TO BED: 55FTUTM XUTM Y

689,016.59

4,291,183.86

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021865**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

657FT

DRILL DEPTH: 225FT

46N

2E

19

DEPTH TO BED: 30FTUTM XUTM Y

687,718.54

4,289,743.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021448**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

616FT

DRILL DEPTH:

342FT

46N

2E

2

UTM XUTM YDEPTH TO BED:

50FT

694,790.77

4,293,254.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

O'FALLON

S.W.L. (AFTER CASING):**LOG ID:****007195**WELL TYPE

Private Well

DRILL DATE:

1941/06/17

TOWNSHIPRANGESECTIONELEVATION:

639FT

DRILL DEPTH:

200FT

46N

2E

2

UTM XUTM YDEPTH TO BED:

20FT

694,798.78

4,294,377.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Joseph M. Dickherber

S.W.L. (AFTER CASING):

100

LOG ID:**007507**WELL TYPE

Private Well

DRILL DATE:

1941//

TOWNSHIPRANGESECTIONELEVATION:

597FT

DRILL DEPTH:

116FT

46N

2E

2

UTM XUTM YDEPTH TO BED:

15FT

693,990.75

4,293,274.94

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ON N SD RD OPPOSITE OLD SCHOOL, 0.5 MI W OF DARDENNE

S.W.L. (AFTER CASING):

30

LOG ID:**019902**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

625FT

DRILL DEPTH:

325FT

46N

2E

20

UTM XUTM YDEPTH TO BED:

75FT

688,441.55

4,288,841.82

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RT 1, WENTZVILLE

S.W.L. (AFTER CASING):

100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005571

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1939/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	621FT
<u>DRILL DEPTH:</u>	275FT	46N	2E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				695,244.71	4,286,981.85
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60					
<u>REMARKS:</u>	"BURGEMEISTER"					

LOG ID:
024408

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1966/05/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	631FT
<u>DRILL DEPTH:</u>	105FT	46N	2E	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				690,757.61	4,288,208.83
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>						

LOG ID:
018065

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1959/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	613FT
<u>DRILL DEPTH:</u>	801FT	46N	2E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				691,875.70	4,294,520.93
<u>S.W.L. (BEFORE CASING):</u>	55	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	83	FT				
<u>REMARKS:</u>	#1 FIELDCREST SUBDIVISION					

LOG ID:
022577

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1964/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	610FT
<u>DRILL DEPTH:</u>	825FT	46N	2E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				691,881.70	4,294,468.93
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006708**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	103FT	46N	2E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				693,143.73	4,294,029.94
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40					

REMARKS:**LOG ID:****024686**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/07/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	648FT
<u>DRILL DEPTH:</u>	265FT	46N	2E	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				690,861.59	4,286,237.80
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: formerly in name of Ethel Schneider**LOG ID:****019067**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	702FT
<u>DRILL DEPTH:</u>	120FT	46N	2E	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				690,782.58	4,285,797.79
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: S SD HWY D, ABT 1000' E OF JCT W/ HWY DD**LOG ID:****019890**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	689FT
<u>DRILL DEPTH:</u>	275FT	46N	2E	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				690,952.59	4,285,985.79
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60					

REMARKS: 0.5 MII N OF HWY D ON DD; MAY BE MISS LOCATED



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016323

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	677FT
<u>DRILL DEPTH:</u>	110FT	46N	2E	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				691,341.60	4,286,297.80
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	43					

REMARKS:

LOG ID:
002334

WELL TYPE
Industrial High Capacity Well

<u>DRILL DATE:</u>	1930//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	658FT
<u>DRILL DEPTH:</u>	623FT	46N	2E	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				693,450.66	4,286,022.82
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: @ HAMBURG STATION

LOG ID:
007098

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1910/8/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	731FT
<u>DRILL DEPTH:</u>	655FT	46N	2E	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				694,750.70	4,286,500.84
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	103					

REMARKS: U.S. ORDNANCE - LOCATION MAY BE WRONG SECTION

LOG ID:
006043

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	581FT
<u>DRILL DEPTH:</u>	130FT	46N	2E	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				691,361.69	4,294,683.93
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: SW SD OF HWY 61, 2ND HOUSE SE OF PERUQUE CREEK BRIDGE,
3 MI E OF WNVL.



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026942**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1969/03/25 TOWNSHIP 46N RANGE 2E SECTION 8 ELEVATION: 642FT
DRILL DEPTH: 205FT UTM X 688,501.59 UTM Y 4,292,535.87
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: HOPEWELL RD & HWY N - POOR SAMPLES
S.W.L. (AFTER CASING): 55

LOG ID:**021866**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 46N RANGE 2E SECTION 8 ELEVATION: 657FT
DRILL DEPTH: 200FT UTM X 689,364.61 UTM Y 4,292,559.88
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**006481**WELL TYPE

Private Well

DRILL DATE: 1940// TOWNSHIP 46N RANGE 2E SECTION 9 ELEVATION: 635FT
DRILL DEPTH: 155FT UTM X 691,405.67 UTM Y 4,293,045.91
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 3 MI S OF GILMORE
S.W.L. (AFTER CASING):

LOG ID:**004450**WELL TYPE

Private Well

DRILL DATE: 1937/08/09 TOWNSHIP 46N RANGE 3E SECTION 25 ELEVATION: 641FT
DRILL DEPTH: 771FT UTM X 705,943.79 UTM Y 4,286,673.79
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026601

WELL TYPE
Private Well

DRILL DATE: 1970//

TOWNSHIP

RANGE

SECTION

ELEVATION:

DRILL DEPTH: 820FT

46N

3E

26

DEPTH TO BED:

UTM X

UTM Y

703,918.78

4,286,929.81

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
023310

WELL TYPE
Private Well

DRILL DATE: 1964/12/11

TOWNSHIP

RANGE

SECTION

ELEVATION:

605FT

DRILL DEPTH: 365FT

46N

3E

3

DEPTH TO BED: 25FT

UTM X

UTM Y

702,194.84

4,293,851.91

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 4 MI S OF O'FALLON, 911 JACOBS LANE; formerly in name of Robert G. Chilton

S.W.L. (AFTER CASING): 125

LOG ID:
028669

WELL TYPE
Monitoring Well

DRILL DATE: 1988/08/16

TOWNSHIP

RANGE

SECTION

ELEVATION:

653FT

DRILL DEPTH: 650FT

46N

3E

31

DEPTH TO BED: 60FT

UTM X

UTM Y

697,866.72

4,285,248.81

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: MWGS-02 (NEAR MW-4019)

S.W.L. (AFTER CASING):

LOG ID:
011926

WELL TYPE
Community Public Well

DRILL DATE: 1951//

TOWNSHIP

RANGE

SECTION

ELEVATION:

652FT

DRILL DEPTH: 275FT

46N

3E

32

DEPTH TO BED: 35FT

UTM X

UTM Y

698,731.74

4,286,161.83

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI SW OF JCT HWYS 94 & 61

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027067**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH:

369FT

46N

3E

35

DEPTH TO BED:

35FT

UTM XUTM Y

703,706.77

4,286,514.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SCALES @ WELDON SPRINGS

S.W.L. (AFTER CASING):**LOG ID:****011391**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1950/05/24

TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH:

330FT

46N

3E

36

DEPTH TO BED:

25FT

UTM XUTM Y

706,086.79

4,286,499.79

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:HEADQUARTERS WELL; PART OF WELDON SPRGS ORDNANCE
WORKSS.W.L. (AFTER CASING):

40

LOG ID:**009421**WELL TYPE

Private Well

DRILL DATE:

1945/12/

TOWNSHIPRANGESECTIONELEVATION:

596FT

DRILL DEPTH:

790FT

46N

3E

36

DEPTH TO BED:

13FT

UTM XUTM Y

704,745.77

4,285,594.78

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:formerly in name of Walsh and Wells Inc - formerly in name of S.T.
Huddleston - 1.2 miles E of Daniel Boone Bridge, 0.1 miles N ofS.W.L. (AFTER CASING):

180

LOG ID:**009932**WELL TYPE

Private Well

DRILL DATE:

1948/02/26

TOWNSHIPRANGESECTIONELEVATION:

596FT

DRILL DEPTH:

366FT

46N

3E

4

DEPTH TO BED:

35FT

UTM XUTM Y

701,163.84

4,294,516.93

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ABT 2 MI SSE OF O'FALLON

S.W.L. (AFTER CASING):

90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023836**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1965/11/30TOWNSHIP

46N

RANGE

3E

SECTION

5

ELEVATION:

612FT

DRILL DEPTH: 1,527FTDEPTH TO BED: 20FTUTM X

698,914.82

UTM Y

4,294,731.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007499**WELL TYPE

Private Well

DRILL DATE: 1941//TOWNSHIP

46N

RANGE

3E

SECTION

5

ELEVATION:

616FT

DRILL DEPTH: 185FTDEPTH TO BED: 15FTUTM X

698,962.82

UTM Y

4,294,629.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI S, 1 MI W OF O'FALLON JCT.S.W.L. (AFTER CASING):**LOG ID:****006040**WELL TYPE

Private Well

DRILL DATE: 1940//TOWNSHIP

46N

RANGE

3E

SECTION

5

ELEVATION:

609FT

DRILL DEPTH: 185FTDEPTH TO BED: 45FTUTM X

699,752.83

UTM Y

4,294,759.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI S OF O'FALLON S OF HWY 40, RD CORNER SW OF
CEMETARYS.W.L. (AFTER CASING):**LOG ID:****025392**WELL TYPE

Private Well

DRILL DATE: 1967/01/19TOWNSHIP

46N

RANGE

3E

SECTION

6

ELEVATION:

635FT

DRILL DEPTH: 235FTDEPTH TO BED: 75FTUTM X

696,677.80

UTM Y

4,293,995.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026608

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1970/07/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	550FT
<u>DRILL DEPTH:</u>	850FT	46N	3E	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				697,893.82	4,294,690.95
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:
025977

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1967/01/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	587FT
<u>DRILL DEPTH:</u>	575FT	46N	4E	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				710,334.86	4,290,971.82
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	"CAN'T LOCATE"			

LOG ID:
019838

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	300FT	46N	4E	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				709,572.85	4,290,907.83
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	HICKORY ISLE SUBDIVISION, W OF HWY 94 ON GAUKS HILL RD; SAMPLES MIXED			

LOG ID:
014735

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1956/05/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	613FT
<u>DRILL DEPTH:</u>	400FT	46N	4E	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				709,937.85	4,290,926.83
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150	<u>REMARKS:</u>	@ HARVESTER			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018605**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954/10/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	563FT
<u>DRILL DEPTH:</u>	810FT	46N	4E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				708,477.85	4,291,248.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI NW OF HARVESTER ON HWY 94, HARVEST ACRES; SALT			
<u>S.W.L. (AFTER CASING):</u>	135		WATER @ 810' (1960)			

LOG ID:**019345**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1960/10/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	575FT
<u>DRILL DEPTH:</u>	515FT	46N	4E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				708,631.85	4,291,117.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	HARVEST ACRES SUBDIVISION WELL #2, 1 MI W OF HARVESTER,			
<u>S.W.L. (AFTER CASING):</u>	160		N OF HWY 94			

LOG ID:**021188**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	550FT
<u>DRILL DEPTH:</u>	300FT	46N	4E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				709,372.85	4,290,640.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ELEVATION RANGE - 530-600'			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**019542**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	596FT
<u>DRILL DEPTH:</u>	425FT	46N	4E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				708,931.85	4,291,058.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of Ellington - OPPOSITE HARVEST ACRES			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024672**WELL TYPE

Private Well

DRILL DATE: 1966/06/03TOWNSHIPRANGESECTIONELEVATION:

621FT

DRILL DEPTH: 410FT

46N

4E

21

DEPTH TO BED: 85FTUTM XUTM Y

710,624.84

4,289,446.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025391**WELL TYPE

Private Well

DRILL DATE: 1967/01/04TOWNSHIPRANGESECTIONELEVATION:

550FT

DRILL DEPTH: 265FT

46N

4E

21

DEPTH TO BED: 40FTUTM XUTM Y

709,856.84

4,289,802.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR HARVESTERS.W.L. (AFTER CASING):**LOG ID:****025227**WELL TYPE

Private Well

DRILL DATE: 1967/01/30TOWNSHIPRANGESECTIONELEVATION:

560FT

DRILL DEPTH: 100FT

46N

4E

21

DEPTH TO BED: 45FTUTM XUTM Y

710,129.84

4,289,434.81

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR HARVESTERS.W.L. (AFTER CASING): 10**LOG ID:****020567**WELL TYPE

Private Well

DRILL DATE: 1961//TOWNSHIPRANGESECTIONELEVATION:

606FT

DRILL DEPTH: 300FT

46N

4E

21

DEPTH TO BED: 45FTUTM XUTM Y

710,000.84

4,289,055.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #15 PLACID DR, ST. CHARLESS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020677

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 584FT
46N 4E 21
DRILL DEPTH: 300FT UTM X UTM Y
DEPTH TO BED: 65FT 710,304.84 4,289,235.80
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SKY LINE ACRES SUBDIVISION; "CAN'T LOCATE"
S.W.L. (AFTER CASING):

LOG ID:
019882

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 571FT
46N 4E 21
DRILL DEPTH: 265FT UTM X UTM Y
DEPTH TO BED: 40FT 710,179.84 4,289,515.81
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: HICKORY DALE SUBDIVISION S OF HWY 94 @ HARVESTER
S.W.L. (AFTER CASING): 150

LOG ID:
021190

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 584FT
46N 4E 21
DRILL DEPTH: 325FT UTM X UTM Y
DEPTH TO BED: 95FT 710,304.84 4,289,231.80
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "CAN'T LOCATE"
S.W.L. (AFTER CASING):

LOG ID:
019393

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 550FT
46N 4E 21
DRILL DEPTH: 255FT UTM X UTM Y
DEPTH TO BED: 25FT 709,652.84 4,289,578.81
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 4.5 MI W OF ST. CHARLES, HICKORY DALE SUBDIVISION
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022557**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

565FT

DRILL DEPTH:

300FT

46N

4E

21

DEPTH TO BED:

25FT

UTM XUTM Y

709,644.84

4,289,665.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

FORMER OWNER RALPH HOBART

S.W.L. (AFTER CASING):**LOG ID:****024532**WELL TYPE

Private Well

DRILL DATE:

1966/09/06

TOWNSHIPRANGESECTIONELEVATION:

552FT

DRILL DEPTH:

665FT

46N

4E

22

DEPTH TO BED:

40FT

UTM XUTM Y

712,367.86

4,289,781.80

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:deepened (1967) to 685' (see complete log at log #25180) mineralized
H2OS.W.L. (AFTER CASING):

100

LOG ID:**025180**WELL TYPE

Private Well

DRILL DATE:

1966/09/06

TOWNSHIPRANGESECTIONELEVATION:

552FT

DRILL DEPTH:

685FT

46N

4E

22

DEPTH TO BED:

40FT

UTM XUTM Y

712,355.86

4,289,825.80

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

see log #24532 DEEPENED 665-685' (1967) THIS IS COMPLETE LOG

S.W.L. (AFTER CASING):

100

LOG ID:**007185**WELL TYPE

Private Well

DRILL DATE:

1941/07/27

TOWNSHIPRANGESECTIONELEVATION:

572FT

DRILL DEPTH:

253FT

46N

4E

22

DEPTH TO BED:

35FT

UTM XUTM Y

711,531.85

4,289,304.80

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023817**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH:

605FT

46N

4E

29

DEPTH TO BED:

265FT

UTM XUTM Y

708,755.81

4,287,134.79

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Roy Barklege

S.W.L. (AFTER CASING):

182

LOG ID:**025672**WELL TYPE

Private Well

DRILL DATE:

1967/06/13

TOWNSHIPRANGESECTIONELEVATION:

638FT

DRILL DEPTH:

500FT

46N

4E

29

DEPTH TO BED:

85FT

UTM XUTM Y

708,502.81

4,287,644.79

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

FAIRDALE LANE & JACOB STATION RD., 0.5 GPM @ 260', 2.5 GPM @ 310'

S.W.L. (AFTER CASING):

140

LOG ID:**022561**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH:

500FT

46N

4E

29

DEPTH TO BED:

65FT

UTM XUTM Y

708,775.81

4,287,289.79

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

150

LOG ID:**021805**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH:

500FT

46N

4E

29

DEPTH TO BED:

25FT

UTM XUTM Y

708,878.81

4,287,187.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021984**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 600FT
46N 4E 3
DRILL DEPTH: 105FT UTM X UTM Y
DEPTH TO BED: 40FT 711,330.90 4,294,926.85
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: E SIDE OF HIGH POINT ACRES, W OF ST CHARLES
S.W.L. (AFTER CASING): 43

LOG ID:**026871**WELL TYPE

Private Well

DRILL DATE: 1969/06/30 TOWNSHIP RANGE SECTION ELEVATION: 582FT
46N 4E 30
DRILL DEPTH: 445FT UTM X UTM Y
DEPTH TO BED: 45FT 707,711.81 4,288,231.81
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**025150**WELL TYPE

Private Well

DRILL DATE: 1966/11/09 TOWNSHIP RANGE SECTION ELEVATION: 580FT
46N 4E 30
DRILL DEPTH: 305FT UTM X UTM Y
DEPTH TO BED: 45FT 706,907.81 4,288,431.81
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 110

LOG ID:**003963**WELL TYPE

Private Well

DRILL DATE: 1936/09/07 TOWNSHIP RANGE SECTION ELEVATION: 568FT
46N 4E 31
DRILL DEPTH: 205FT UTM X UTM Y
DEPTH TO BED: 55FT 706,870.79 4,286,413.79
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ON MISSOURI RIVER BLUFF ABOVE RR TRACKS
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024400**WELL TYPE

Private Well

DRILL DATE: 1966/05/03TOWNSHIPRANGESECTIONELEVATION:

610FT

DRILL DEPTH: 365FT

46N

4E

4

DEPTH TO BED: 55FTUTM XUTM Y

711,164.90

4,295,024.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024161**WELL TYPE

Private Well

DRILL DATE: 1966/02/28TOWNSHIPRANGESECTIONELEVATION:

550FT

DRILL DEPTH: 265FT

46N

4E

4

DEPTH TO BED: 55FTUTM XUTM Y

710,573.89

4,294,775.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024100**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

580FT

DRILL DEPTH: 425FT

46N

4E

4

DEPTH TO BED: 70FTUTM XUTM Y

710,495.89

4,294,304.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of George AmyxS.W.L. (AFTER CASING):**LOG ID:****020669**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

560FT

DRILL DEPTH: 250FT

46N

4E

4

DEPTH TO BED: 20FTUTM XUTM Y

710,458.89

4,294,283.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: HIGH POINT ACRES SUBDIVISIONS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021200**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

590FT

DRILL DEPTH:

300FT

46N

4E

4

UTM XUTM YDEPTH TO BED:

60FT

710,537.89

4,294,504.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020590**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

577FT

DRILL DEPTH:

275FT

46N

4E

4

UTM XUTM YDEPTH TO BED:

20FT

710,610.89

4,294,267.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020572**WELL TYPE

Private Well

DRILL DATE:

1961//

TOWNSHIPRANGESECTIONELEVATION:

578FT

DRILL DEPTH:

275FT

46N

4E

4

UTM XUTM YDEPTH TO BED:

40FT

710,674.89

4,294,553.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: HIGH POINT ACRES SUBDIVISIONS.W.L. (AFTER CASING):**LOG ID:****021316**WELL TYPE

Private Well

DRILL DATE:

1962//

TOWNSHIPRANGESECTIONELEVATION:

580FT

DRILL DEPTH:

300FT

46N

4E

4

UTM XUTM YDEPTH TO BED:

50FT

710,911.90

4,294,702.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021750**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

580FT

DRILL DEPTH:

275FT

46N

4E

4

UTM XUTM YDEPTH TO BED:

50FT

710,527.89

4,294,713.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

formerly in name of James T. Franklin - High Point Acres Subdivision

S.W.L. (AFTER CASING):**LOG ID:****006907**WELL TYPE

Private Well

DRILL DATE:

1941/02/

TOWNSHIPRANGESECTIONELEVATION:

516FT

DRILL DEPTH:

78FT

46N

4E

5

UTM XUTM YDEPTH TO BED:

60FT

708,005.88

4,294,383.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020761**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

568FT

DRILL DEPTH:

175FT

46N

4E

6

UTM XUTM YDEPTH TO BED:

25FT

707,142.87

4,294,164.88

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"CAN'T LOCATE"

S.W.L. (AFTER CASING):**LOG ID:****004726**WELL TYPE

Private Well

DRILL DATE:

1938//

TOWNSHIPRANGESECTIONELEVATION:

607FT

DRILL DEPTH:

273FT

46N

4E

8

UTM XUTM YDEPTH TO BED:

70FT

708,930.87

4,293,150.86

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RT 3, ST. CHARLES

S.W.L. (AFTER CASING):

70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024678

WELL TYPE
Private Well

DRILL DATE: 1966/07/01

TOWNSHIP 46N RANGE 4E SECTION 9

ELEVATION: 550FT

DRILL DEPTH: 635FT

UTM X UTM Y
709,923.88 4,293,336.85
ZONE 15

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
025648

WELL TYPE
Private Well

DRILL DATE: 1967/04/12

TOWNSHIP 46N RANGE 4E SECTION 9

ELEVATION: 571FT

DRILL DEPTH: 425FT

UTM X UTM Y
710,612.87 4,292,566.84
ZONE 15

DEPTH TO BED: 75FT

S.W.L. (BEFORE CASING):

REMARKS: SCANNED, VERY FEW SAMPLES RUN - TOPS ONLY

S.W.L. (AFTER CASING):

LOG ID:
020671

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP 46N RANGE 4E SECTION 9

ELEVATION: 610FT

DRILL DEPTH: 325FT

UTM X UTM Y
710,028.87 4,292,618.84
ZONE 15

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING):

REMARKS: McCLAY RD, HARVESTER

S.W.L. (AFTER CASING):

LOG ID:
020566

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP 46N RANGE 4E SECTION 9

ELEVATION: 601FT

DRILL DEPTH: 325FT

UTM X UTM Y
709,948.87 4,292,574.84
ZONE 15

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026926

WELL TYPE
Private Well

DRILL DATE: 1969/04/ TOWNSHIP 47N RANGE 1E SECTION 10 ELEVATION: 550FT
DRILL DEPTH: 325FT UTM X UTM Y
DEPTH TO BED: 40FT 682,351.47 4,302,085.88
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: POINT PRAIRIE RD, N & W OF WENTZVILLE; YIELD - 4.5 GPM
S.W.L. (AFTER CASING): 45

LOG ID:
027001

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP 47N RANGE 1E SECTION 13 ELEVATION: 578FT
DRILL DEPTH: 760FT UTM X UTM Y
DEPTH TO BED: 10FT 685,993.57 4,300,179.91
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
025521

WELL TYPE
Private Well

DRILL DATE: 1967/09/28 TOWNSHIP 47N RANGE 1E SECTION 14 ELEVATION: 622FT
DRILL DEPTH: 465FT UTM X UTM Y
DEPTH TO BED: 145FT 684,370.52 4,299,767.89
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
025847

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1967/02/14 TOWNSHIP 47N RANGE 1E SECTION 15 ELEVATION: 624FT
DRILL DEPTH: 300FT UTM X UTM Y
DEPTH TO BED: 30FT 682,781.47 4,300,185.87
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 3 MI NW OF WENTZVILLE ON PIENE RD, OFF MEYER RD
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026526**WELL TYPE

Private Well

DRILL DATE: 1968/07/31TOWNSHIP RANGE SECTION

47N

1E

16

ELEVATION: 612FTDRILL DEPTH: 305FTUTM X UTM YDEPTH TO BED: 45FT680,297.40 4,299,544.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: YIELD - 7.5 GPMS.W.L. (AFTER CASING):**LOG ID:****019919**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

47N

1E

16

ELEVATION: 606FTDRILL DEPTH: 200FTUTM X UTM YDEPTH TO BED: 5FT681,118.43 4,300,990.86
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: SCOTTS RD, FORISTELS.W.L. (AFTER CASING): 100**LOG ID:****005692**WELL TYPE

Private Well

DRILL DATE: 1939//TOWNSHIP RANGE SECTION

47N

1E

16

ELEVATION: 641FTDRILL DEPTH: 118FTUTM X UTM YDEPTH TO BED: 25FT680,976.42 4,299,512.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: MAY HAVE BEEN DRILLED IN 1935S.W.L. (AFTER CASING):**LOG ID:****003960**WELL TYPE

Private Well

DRILL DATE: 1936/10/30TOWNSHIP RANGE SECTION

47N

1E

17

ELEVATION: 666FTDRILL DEPTH: 258FTUTM X UTM YDEPTH TO BED: 55FT679,470.37 4,299,880.83
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025401

WELL TYPE
Private Well

DRILL DATE: 1967/02/10

TOWNSHIP RANGE SECTION

ELEVATION: 684FT

DRILL DEPTH: 575FT

47N 1E 19

DEPTH TO BED: 60FT

UTM X UTM Y
677,332.30 4,298,042.79
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FORISTELL

S.W.L. (AFTER CASING):

LOG ID:
024579

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1966/03/25

TOWNSHIP RANGE SECTION

ELEVATION: 722FT

DRILL DEPTH: 565FT

47N 1E 19

DEPTH TO BED: 90FT

UTM X UTM Y
677,600.31 4,298,200.79
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR FORISTELL; TRUCK STOP ??

S.W.L. (AFTER CASING):

LOG ID:
026564

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1969/12/04

TOWNSHIP RANGE SECTION

ELEVATION: 706FT

DRILL DEPTH: 1,300FT

47N 1E 19

DEPTH TO BED: 95FT

UTM X UTM Y
677,929.32 4,298,395.80
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 204

LOG ID:
028345

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1979/11/02

TOWNSHIP RANGE SECTION

ELEVATION: 700FT

DRILL DEPTH: 650FT

47N 1E 19

DEPTH TO BED: 80FT

UTM X UTM Y
677,207.30 4,298,622.79
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021375**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1962//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	695FT	47N	1E	19		
<u>DEPTH TO BED:</u>	50FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				677,320.30	4,298,551.79
<u>S.W.L. (AFTER CASING):</u>	50				ZONE 15	
<u>REMARKS:</u>	see log #21171 - deepened to 695' (log #21375 is complete log) - 1 miles E of O'Fallon					

LOG ID:**021204**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1962/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	702FT
<u>DRILL DEPTH:</u>	770FT	47N	1E	19		
<u>DEPTH TO BED:</u>	45FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				677,912.32	4,299,127.80
<u>S.W.L. (AFTER CASING):</u>	200				ZONE 15	
<u>REMARKS:</u>						

LOG ID:**007212**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/07/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	648FT
<u>DRILL DEPTH:</u>	145FT	47N	1E	21		
<u>DEPTH TO BED:</u>	75FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				681,592.43	4,299,215.85
<u>S.W.L. (AFTER CASING):</u>	60				ZONE 15	
<u>REMARKS:</u>	WENTZVILLE					

LOG ID:**005696**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	665FT
<u>DRILL DEPTH:</u>	186FT	47N	1E	21		
<u>DEPTH TO BED:</u>	80FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				681,752.43	4,297,900.84
<u>S.W.L. (AFTER CASING):</u>	100				ZONE 15	
<u>REMARKS:</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026483**WELL TYPE

Private Well

DRILL DATE: 1968/08/20TOWNSHIP RANGE SECTION

47N

1E

23

ELEVATION: 630FTDRILL DEPTH: 485FTUTM X UTM YDEPTH TO BED: 240FT684,019.50 4,298,483.87
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025222**WELL TYPE

Private Well

DRILL DATE: 1967/01/02TOWNSHIP RANGE SECTION

47N

1E

24

ELEVATION: 592FTDRILL DEPTH: 295FTUTM X UTM YDEPTH TO BED: 30FT686,362.58 4,298,874.90
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: NEAR WENTZVILLES.W.L. (AFTER CASING): 95**LOG ID:****003151**WELL TYPE

Community Public Well

DRILL DATE: 1935//TOWNSHIP RANGE SECTION

47N

1E

24

ELEVATION: 619FTDRILL DEPTH: 815FTUTM X UTM YDEPTH TO BED: 35FT686,498.57 4,298,223.90
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: CITY LOT, CITY HALLS.W.L. (AFTER CASING): 81**LOG ID:****007910**WELL TYPE

Private Well

DRILL DATE: 1942//TOWNSHIP RANGE SECTION

47N

1E

25

ELEVATION: 641FTDRILL DEPTH: 100FTUTM X UTM YDEPTH TO BED: 30FT685,081.52 4,296,983.87
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009671**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1947/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	593FT
<u>DRILL DEPTH:</u>	1,350FT	47N	1E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				686,608.57	4,297,796.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WHITEHEAD ADDITION, 4TH ST; ORIGINAL PRODUCTION 148 GPM			
<u>S.W.L. (AFTER CASING):</u>	110					

LOG ID:**025842**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/04/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	640FT
<u>DRILL DEPTH:</u>	215FT	47N	1E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				683,484.47	4,296,597.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1 MI OFF I-70 S SERVICE RD, 1 MI W OF WENTZVILLE,			
<u>S.W.L. (AFTER CASING):</u>			HEPPERMAN			

LOG ID:**027444**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	660FT
<u>DRILL DEPTH:</u>	790FT	47N	1E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				684,932.52	4,297,011.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	PINEWOOD PARK			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026522**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1968/10/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	602FT
<u>DRILL DEPTH:</u>	174FT	47N	1E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				684,840.51	4,296,454.86
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SCANNED, NO SAMPLES LOGGED - TOPS ONLY			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025975

WELL TYPE
Private Well

DRILL DATE: 1967/04/06 TOWNSHIP 47N RANGE 1E SECTION 26 ELEVATION: 648FT
DRILL DEPTH: 200FT UTM X 684,196.50 UTM Y 4,297,704.87
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.5 MI W OF OVERPASS ON S SD I-70 @ W EDGE OF WENTZVILLE
S.W.L. (AFTER CASING):

LOG ID:
025099

WELL TYPE
Private Well

DRILL DATE: 1967/01/28 TOWNSHIP 47N RANGE 1E SECTION 27 ELEVATION: 666FT
DRILL DEPTH: 365FT UTM X 682,630.45 UTM Y 4,296,997.84
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: "CAN'T LOCATE"
S.W.L. (AFTER CASING): 98

LOG ID:
023251

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1964/12/ TOWNSHIP 47N RANGE 1E SECTION 27 ELEVATION: 665FT
DRILL DEPTH: 395FT UTM X 681,874.43 UTM Y 4,297,681.84
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 90

LOG ID:
026516

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1981/10/ TOWNSHIP 47N RANGE 1E SECTION 27 ELEVATION: 661FT
DRILL DEPTH: 685FT UTM X 683,390.48 UTM Y 4,297,174.85
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.5 MI W OF WENTZVILLE OVERPASS, S SD I-70; SCANNED -
S.W.L. (AFTER CASING): TOPS



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024611

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	640FT
		47N	1E	27		
<u>DRILL DEPTH:</u>	735FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				682,562.45	4,297,704.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of El-Mau Subd - about 1 MI W of Wentzville; elev.			
<u>S.W.L. (AFTER CASING):</u>			600-680'			

LOG ID:
021652

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1963//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	620FT
		47N	1E	27		
<u>DRILL DEPTH:</u>	410FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				681,890.43	4,296,399.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	see log #21761 for complete log (TO 710')			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
021792

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	643FT
		47N	1E	27		
<u>DRILL DEPTH:</u>	670FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				681,998.44	4,297,417.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
021761

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1963//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	620FT
		47N	1E	27		
<u>DRILL DEPTH:</u>	710FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				681,867.43	4,296,421.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	see log #21652 - #21761 is complete log			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024311

WELL TYPE
Private Well

DRILL DATE: 1965/01/11

TOWNSHIP 47N RANGE 1E SECTION 28

ELEVATION: 680FT

DRILL DEPTH: 645FT

DEPTH TO BED: 125FT

UTM X 680,933.40 UTM Y 4,297,509.83
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: POOR SAMPLES - YIELD 25 GPM @ 400'

S.W.L. (AFTER CASING):

LOG ID:
025974

WELL TYPE
Private Well

DRILL DATE: 1967/03/27

TOWNSHIP 47N RANGE 1E SECTION 32

ELEVATION: 664FT

DRILL DEPTH: 417FT

DEPTH TO BED: 70FT

UTM X 680,166.37 UTM Y 4,295,252.80
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2.5 MI S OF I-70 ON POINT PRAIRIE RD, 1 MI W ON JACKSON RD

S.W.L. (AFTER CASING):

LOG ID:
026484

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP 47N RANGE 1E SECTION 33

ELEVATION: 664FT

DRILL DEPTH: 485FT

DEPTH TO BED: 125FT

UTM X 681,582.41 UTM Y 4,294,614.81
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
026694

WELL TYPE
Private Well

DRILL DATE: 1968/10/28

TOWNSHIP 47N RANGE 1E SECTION 34

ELEVATION: 666FT

DRILL DEPTH: 485FT

DEPTH TO BED: 125FT

UTM X 682,694.44 UTM Y 4,295,475.83
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "CAN'T LOCATE"

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018629**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/10/24	<u>TOWNSHIP</u>	47N	<u>RANGE</u>	1E	<u>SECTION</u>	34	<u>ELEVATION:</u>	665FT
<u>DRILL DEPTH:</u>	510FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT							682,182.43	4,295,053.82
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 3 MI W of Wentzville, 1 MI S of Hwy 40 (see log #17850 deepened 325-510')						
<u>S.W.L. (AFTER CASING):</u>	140								

LOG ID:**017794**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/09/20	<u>TOWNSHIP</u>	47N	<u>RANGE</u>	1E	<u>SECTION</u>	34	<u>ELEVATION:</u>	667FT
<u>DRILL DEPTH:</u>	305FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT							682,059.42	4,294,867.82
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 3 MI W OF WENTZVILLE, 1 MI S OF HWY 40						
<u>S.W.L. (AFTER CASING):</u>	120								

LOG ID:**017850**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/10/24	<u>TOWNSHIP</u>	47N	<u>RANGE</u>	1E	<u>SECTION</u>	34	<u>ELEVATION:</u>	665FT
<u>DRILL DEPTH:</u>	325FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT							682,202.43	4,295,112.82
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> deepened in 1960 TO 510' (see complete log #18629), 3 MI W of Wentzville						
<u>S.W.L. (AFTER CASING):</u>	190								

LOG ID:**016790**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/02/16	<u>TOWNSHIP</u>	47N	<u>RANGE</u>	1E	<u>SECTION</u>	34	<u>ELEVATION:</u>	657FT
<u>DRILL DEPTH:</u>	370FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT							682,382.43	4,295,348.83
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>						
<u>S.W.L. (AFTER CASING):</u>	120								



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026697**WELL TYPE

Private Well

DRILL DATE: 1968/10/28TOWNSHIPRANGESECTIONELEVATION:

643FT

DRILL DEPTH: 225FT

47N

1E

35

DEPTH TO BED: 65FTUTM XUTM Y

684,217.48

4,294,703.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SCANNED, NO SAMPLES LOGGED - TOPS ONLYS.W.L. (AFTER CASING):**LOG ID:****008039**WELL TYPE

Private Well

DRILL DATE: 1942//TOWNSHIPRANGESECTIONELEVATION:

575FT

DRILL DEPTH: 200FT

47N

1E

4

DEPTH TO BED: 70FTUTM XUTM Y

681,183.45

4,303,778.88

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI N OF FLINT HILL, ON FORRISTELL RD; FORMER OWNER
HERBIES.W.L. (AFTER CASING):**LOG ID:****026525**WELL TYPE

Private Well

DRILL DATE: 1968/05/16TOWNSHIPRANGESECTIONELEVATION:

594FT

DRILL DEPTH: 345FT

47N

1E

5

DEPTH TO BED: 30FTUTM XUTM Y

678,824.37

4,303,456.85

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: N OF PORISTELLS.W.L. (AFTER CASING): 75**LOG ID:****016229**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/05/TOWNSHIPRANGESECTIONELEVATION:

533FT

DRILL DEPTH: 435FT

47N

2E

1

DEPTH TO BED: 35FTUTM XUTM Y

695,797.90

4,303,951.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026523**WELL TYPE

Private Well

DRILL DATE: 1968/08/26TOWNSHIP RANGE SECTION

47N

2E

10

ELEVATION: 562FTDRILL DEPTH: 380FTUTM X UTM YDEPTH TO BED: 10FT691,605.77 4,302,466.00
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ABT 1 MI FROM JOSEPHVILLE ACROSS HWY PS.W.L. (AFTER CASING):**LOG ID:****027354**WELL TYPE

Private Well

DRILL DATE: 1969/08/25TOWNSHIP RANGE SECTION

47N

2E

11

ELEVATION: 524FTDRILL DEPTH: 345FTUTM X UTM YDEPTH TO BED: 45FT694,506.85 4,302,035.03
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ON HWY K TO O'FALLONS.W.L. (AFTER CASING): 50**LOG ID:****024185**WELL TYPE

Private Well

DRILL DATE: 1966/03/18TOWNSHIP RANGE SECTION

47N

2E

12

ELEVATION: 505FTDRILL DEPTH: 373FTUTM X UTM YDEPTH TO BED: 40FT696,648.89 4,302,657.04
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028700**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP RANGE SECTION

47N

2E

12

ELEVATION: 550FTDRILL DEPTH: 1,690FTUTM X UTM YDEPTH TO BED: 15FT696,705.88 4,301,517.02
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 195



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
014781

WELL TYPE
Community Public Well

DRILL DATE: 1956/08/ TOWNSHIP 47N RANGE 2E SECTION 13 ELEVATION: 581FT
DRILL DEPTH: 835FT UTM X UTM Y
DEPTH TO BED: 20FT 696,118.87 4,301,257.03
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of St. Charles Hills Subdivision and/or C. Williams
S.W.L. (AFTER CASING): 130

LOG ID:
022068

WELL TYPE
Private Well

DRILL DATE: 1963/07/18 TOWNSHIP 47N RANGE 2E SECTION 15 ELEVATION: 605FT
DRILL DEPTH: 380FT UTM X UTM Y
DEPTH TO BED: 35FT 692,200.77 4,301,046.00
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: POOR SAMPLES
S.W.L. (AFTER CASING): 40

LOG ID:
027011

WELL TYPE
Private Well

DRILL DATE: 1969/08/07 TOWNSHIP 47N RANGE 2E SECTION 16 ELEVATION: 600FT
DRILL DEPTH: 358FT UTM X UTM Y
DEPTH TO BED: 25FT 691,504.75 4,300,768.98
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.5 MI S OF JOSEPHVILLE ON KERSTING RD
S.W.L. (AFTER CASING):

LOG ID:
027415

WELL TYPE
Private Well

DRILL DATE: 1972/02/26 TOWNSHIP 47N RANGE 2E SECTION 17 ELEVATION: 628FT
DRILL DEPTH: 682FT UTM X UTM Y
DEPTH TO BED: 40FT 689,915.69 4,299,719.96
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI SW OF JOSEPHVILLE
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026519

WELL TYPE
Private Well

DRILL DATE: 1967/07/03

TOWNSHIP RANGE SECTION

ELEVATION: 561FT

DRILL DEPTH: 338FT

47N 2E 17

DEPTH TO BED: 15FT

UTM X UTM Y
689,352.68 4,300,853.96
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI W OF JOSEPHVILLE ON WILMER RD

S.W.L. (AFTER CASING):

LOG ID:
028170

WELL TYPE
Community Public Well

DRILL DATE: 1979/05/15

TOWNSHIP RANGE SECTION

ELEVATION: 624FT

DRILL DEPTH: 1,465FT

47N 2E 19

DEPTH TO BED: 30FT

UTM X UTM Y
688,273.63 4,298,000.92
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: Callahan Rd

S.W.L. (AFTER CASING): 200

LOG ID:
024208

WELL TYPE
Community Public Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 630FT

DRILL DEPTH: 1,450FT

47N 2E 19

DEPTH TO BED: 35FT

UTM X UTM Y
687,045.59 4,298,182.91
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: treatment plant

S.W.L. (AFTER CASING): 192

LOG ID:
008083

WELL TYPE
Community Public Well

DRILL DATE: 1943/02/

TOWNSHIP RANGE SECTION

ELEVATION: 608FT

DRILL DEPTH: 1,337FT

47N 2E 19

DEPTH TO BED: 10FT

UTM X UTM Y
687,051.59 4,298,301.91
ZONE 15

S.W.L. (BEFORE CASING): 110 FT

REMARKS: also log #11827 for complete log - observation well as of 05/1980

S.W.L. (AFTER CASING): 214 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011827**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1943/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	608FT
<u>DRILL DEPTH:</u>	1,337FT	47N	2E	19		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	110 FT				687,172.60	4,298,357.91
<u>S.W.L. (AFTER CASING):</u>	214 FT				ZONE 15	
<u>REMARKS:</u> also log #8083 - #11827 is complete log - observation well as of 05/1980						

LOG ID:**007061**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	618FT
<u>DRILL DEPTH:</u>	168FT	47N	2E	19		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				687,473.61	4,299,164.92
<u>S.W.L. (AFTER CASING):</u>	60				ZONE 15	
<u>REMARKS:</u> 0.25 MI NE OF HWY 61, 0.5 MI N OF WENTZVILLE						

LOG ID:**005652**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	591FT
<u>DRILL DEPTH:</u>	215FT	47N	2E	2		
<u>DEPTH TO BED:</u>	125FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					694,131.86	4,304,449.05
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u> OLD WELL DEEPENED - 2 MI NW OF CHURCH @ ST. PAUL						

LOG ID:**024162**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/02/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	620FT
<u>DRILL DEPTH:</u>	265FT	47N	2E	21		
<u>DEPTH TO BED:</u>	65FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					691,067.71	4,298,576.96
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026661**WELL TYPE

Community Public Well

DRILL DATE: 1970/03/03TOWNSHIPRANGESECTIONELEVATION:

563FT

DRILL DEPTH: 1,375FT

47N

2E

24

DEPTH TO BED: 65FTUTM XUTM Y

695,828.84

4,298,275.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021836**WELL TYPE

Community Public Well

DRILL DATE: 1963//TOWNSHIPRANGESECTIONELEVATION:

610FT

DRILL DEPTH: 755FT

47N

2E

25

DEPTH TO BED: 5FTUTM XUTM Y

695,705.84

4,297,973.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022203**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

560FT

DRILL DEPTH: 300FT

47N

2E

26

DEPTH TO BED: 10FTUTM XUTM Y

694,831.82

4,297,641.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007505**WELL TYPE

Private Well

DRILL DATE: 1941//TOWNSHIPRANGESECTIONELEVATION:

555FT

DRILL DEPTH: 151FT

47N

2E

26

DEPTH TO BED: 5FTUTM XUTM Y

694,663.81

4,297,526.99

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 63formerly in name of A.L. Salfen - in wedge between Hwy 40 & Wabash
RR, E side Peruque Creek, N side Hwy 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026514**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1968/10/07 TOWNSHIP 47N RANGE 2E SECTION 29 ELEVATION: 612FT
DRILL DEPTH: 460FT UTM X 689,382.66 UTM Y 4,297,805.93
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SCANNED ONLY, NO SAMPLES LOGGED - TOPS ONLY
S.W.L. (AFTER CASING):

LOG ID:**022795**WELL TYPE

Industrial High Capacity Well

DRILL DATE: TOWNSHIP 47N RANGE 2E SECTION 29 ELEVATION: 625FT
DRILL DEPTH: 795FT UTM X 688,425.63 UTM Y 4,297,598.92
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: E OF WENTZVILLE CITY LIMITS
S.W.L. (AFTER CASING):

LOG ID:**005562**WELL TYPE

Private Well

DRILL DATE: 1939// TOWNSHIP 47N RANGE 2E SECTION 3 ELEVATION: 604FT
DRILL DEPTH: 145FT UTM X 691,839.78 UTM Y 4,303,049.01
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 60

LOG ID:**019238**WELL TYPE

Community Public Well

DRILL DATE: 1960/07/18 TOWNSHIP 47N RANGE 2E SECTION 30 ELEVATION: 617FT
DRILL DEPTH: 745FT UTM X 687,577.60 UTM Y 4,297,752.91
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI SE OF WENTZVILLE
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007497**WELL TYPE

Private Well

DRILL DATE: 1941// TOWNSHIP 47N RANGE 2E SECTION 33 ELEVATION: 575FT
DRILL DEPTH: 180FT UTM X 690,634.68 UTM Y 4,295,842.93
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2.5 MI SE OF WENTZVILLE, 0.25 MI E OF NEW HWY 40
S.W.L. (AFTER CASING):

LOG ID:**027088**WELL TYPE

Community Public Well

DRILL DATE: 1972// TOWNSHIP 47N RANGE 2E SECTION 35 ELEVATION: 540FT
DRILL DEPTH: 1,450FT UTM X 694,837.80 UTM Y 4,295,755.98
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**006462**WELL TYPE

Private Well

DRILL DATE: 1940// TOWNSHIP 47N RANGE 2E SECTION 4 ELEVATION: 594FT
DRILL DEPTH: 100FT UTM X 691,433.76 UTM Y 4,302,965.00
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI W OF JOSEPHVILLE
S.W.L. (AFTER CASING):

LOG ID:**006707**WELL TYPE

Private Well

DRILL DATE: 1941/02/ TOWNSHIP 47N RANGE 2E SECTION 8 ELEVATION: 572FT
DRILL DEPTH: 135FT UTM X 689,418.69 UTM Y 4,301,370.96
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI W OF JOSEPHVILLE
S.W.L. (AFTER CASING): 45

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008348

WELL TYPE
Private Well

DRILL DATE: 1943// TOWNSHIP 47N RANGE 2E SECTION 9 ELEVATION: 599FT
DRILL DEPTH: 160FT UTM X 691,183.75 UTM Y 4,302,223.99
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WORTHAM, JOSEPHVILLE
S.W.L. (AFTER CASING):

LOG ID:
005676

WELL TYPE
Private Well

DRILL DATE: 1939/10/ TOWNSHIP 47N RANGE 3E SECTION 10 ELEVATION: 432FT
DRILL DEPTH: 435FT UTM X 702,839.93 UTM Y 4,302,889.98
DEPTH TO BED: 108FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: BELLEAU STOCK FARM, "IN USE AT (AS?) CLUBHOUSE"
S.W.L. (AFTER CASING):

LOG ID:
024987

WELL TYPE
Community Public Well

DRILL DATE: 1966/11/23 TOWNSHIP 47N RANGE 3E SECTION 18 ELEVATION: 555FT
DRILL DEPTH: 727FT UTM X 696,919.88 UTM Y 4,301,282.02
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: POOR SAMPLES
S.W.L. (AFTER CASING): 105

LOG ID:
024735

WELL TYPE
Private Well

DRILL DATE: 1965/12/ TOWNSHIP 47N RANGE 3E SECTION 20 ELEVATION: 565FT
DRILL DEPTH: 379FT UTM X 698,616.86 UTM Y 4,298,766.98
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1.25 MI NW OF O'FALLON ON COUNTY RD
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024896**WELL TYPE

Private Well

DRILL DATE: 1966/09/04TOWNSHIP RANGE SECTIONELEVATION: 540FTDRILL DEPTH: 365FT

47N 3E 20

DEPTH TO BED: 50FTUTM X UTM Y
698,632.87 4,298,996.99
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****018930**WELL TYPE

Community Public Well

DRILL DATE: 1960/05/TOWNSHIP RANGE SECTIONELEVATION: 524FTDRILL DEPTH: 1,500FT

47N 3E 20

DEPTH TO BED: 25FTUTM X UTM Y
699,676.88 4,299,495.98
ZONE 15S.W.L. (BEFORE CASING): 80 FTREMARKS: ACIDIZED SEVERAL TIMESS.W.L. (AFTER CASING): 66 FT**LOG ID:****022554**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 573FTDRILL DEPTH: 375FT

47N 3E 20

DEPTH TO BED: 35FTUTM X UTM Y
698,477.86 4,298,734.98
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ENGE (?) RD, O'FALLONS.W.L. (AFTER CASING):**LOG ID:****004050**WELL TYPE

Community Public Well

DRILL DATE: 1937/01/06TOWNSHIP RANGE SECTIONELEVATION: 538FTDRILL DEPTH: 823FT

47N 3E 21

DEPTH TO BED: 100FTUTM X UTM Y
699,937.87 4,298,353.97
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: @ CONVENT IN O'FALLONS.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027599**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1974/05/06TOWNSHIPRANGESECTIONELEVATION:

460FT

DRILL DEPTH: 1,485FT

47N

3E

22

DEPTH TO BED: 60FTUTM XUTM Y

703,026.89

4,298,743.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Monsanto Chemical Co Well #4S.W.L. (AFTER CASING):**LOG ID:****026621**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1970/07/07TOWNSHIPRANGESECTIONELEVATION:

484FT

DRILL DEPTH: 1,470FT

47N

3E

26

DEPTH TO BED: 40FTUTM XUTM Y

703,053.88

4,298,252.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Monsanto Chemical Co Well #3S.W.L. (AFTER CASING):**LOG ID:****021364**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

450FT

DRILL DEPTH: 800FT

47N

3E

26

DEPTH TO BED: 40FTUTM XUTM Y

703,921.88

4,297,090.93

ZONE 15

S.W.L. (BEFORE CASING): 100REMARKS: POOR SAMPLES - USE WITH CAUTIONS.W.L. (AFTER CASING): FT**LOG ID:****024531**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

475FT

DRILL DEPTH: 740FT

47N

3E

28

DEPTH TO BED: 20FTUTM XUTM Y

701,273.86

4,297,279.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018932**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1960/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	528FT
<u>DRILL DEPTH:</u>	1,420FT	47N	3E	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				700,566.86	4,297,735.96
<u>S.W.L. (BEFORE CASING):</u>	60	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	110	FT				

REMARKS: 1 MI E OF O'FALLON ON HWY 40

LOG ID:**022001**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/10/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	550FT
<u>DRILL DEPTH:</u>	450FT	47N	3E	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	245FT				700,705.86	4,297,029.95
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 1 MI E OF JCT HWYS K AND OLD 40, N SD OLD HWY 40

LOG ID:**012697**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	572FT
<u>DRILL DEPTH:</u>	1,420FT	47N	3E	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				700,110.86	4,297,642.96
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	115					

REMARKS: deepened well from 821' (see log #12613)

LOG ID:**012613**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	572FT
<u>DRILL DEPTH:</u>	821FT	47N	3E	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				700,097.86	4,297,733.96
<u>S.W.L. (BEFORE CASING):</u>	98	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	120	FT				

REMARKS: deepened to 1420' (see log #12697 for complete log)

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007496

WELL TYPE
Private Well

DRILL DATE: 1941// TOWNSHIP 47N RANGE 3E SECTION 28 ELEVATION: 585FT
DRILL DEPTH: 125FT UTM X 699,797.85 UTM Y 4,297,113.96
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: S SIDE HWY 40 @ JCT WITH HWY M @ O'FALLOON
S.W.L. (AFTER CASING):

LOG ID:
004586

WELL TYPE
Private Well

DRILL DATE: 1937/09/ TOWNSHIP 47N RANGE 3E SECTION 28 ELEVATION: 576FT
DRILL DEPTH: 295FT UTM X 700,293.86 UTM Y 4,297,233.96
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 40, 0.25 MI E OF HWY M
S.W.L. (AFTER CASING): 60

LOG ID:
005558

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1939/08/ TOWNSHIP 47N RANGE 3E SECTION 28 ELEVATION: 585FT
DRILL DEPTH: 112FT UTM X 699,845.85 UTM Y 4,297,065.96
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ABT 1 MI S OF O'FALLON, FILLING STATION @ JCT HWYS 40 & M
S.W.L. (AFTER CASING): 35

LOG ID:
023472

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP 47N RANGE 3E SECTION 29 ELEVATION: 590FT
DRILL DEPTH: 379FT UTM X 698,999.85 UTM Y 4,297,259.97
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: S SD I-70 W END OF O'FALLON; POOR SAMPLES - DO NOT USE
S.W.L. (AFTER CASING): FOR CORRELATION



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023471**WELL TYPE

Unknown Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH:

441FT

47N

3E

29

UTM XUTM YDEPTH TO BED:

15FT

698,963.85

4,297,093.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

200 yards south of Nazarene Church - yields 7.5 gpm @ 215', 12 gpm @ 278', 16 gpm @ total depth

S.W.L. (AFTER CASING):**LOG ID:****025675**WELL TYPE

Private Well

DRILL DATE:

1967/06/07

TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH:

445FT

47N

3E

29

UTM XUTM YDEPTH TO BED:

105FT

698,863.85

4,297,177.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

115

LOG ID:**025846**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

592FT

DRILL DEPTH:

420FT

47N

3E

29

UTM XUTM YDEPTH TO BED:

20FT

699,175.85

4,296,952.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SCANNED - NO SAMPLES LOGGED - TOPS ONLY; 7 GPM @ 194', 15 GPM @ 256'

S.W.L. (AFTER CASING):**LOG ID:****021835**WELL TYPE

Community Public Well

DRILL DATE:

1963/08/

TOWNSHIPRANGESECTIONELEVATION:

602FT

DRILL DEPTH:

1,500FT

47N

3E

29

UTM XUTM YDEPTH TO BED:

55FT

698,309.85

4,297,636.98

ZONE 15

S.W.L. (BEFORE CASING):

112

FT

REMARKS:S.W.L. (AFTER CASING):

158

FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006414**WELL TYPE

Monitoring Well

DRILL DATE: 1940/09/00TOWNSHIP RANGE SECTION

47N

3E

29

ELEVATION: 564FTDRILL DEPTH: 833FTUTM X UTM YDEPTH TO BED: 30FT699,587.86 4,298,032.97
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: OBSERVATION WELL AS OF 05/06/1981S.W.L. (AFTER CASING): 223**LOG ID:****006482**WELL TYPE

Private Well

DRILL DATE: 1940//TOWNSHIP RANGE SECTION

47N

3E

29

ELEVATION: 596FTDRILL DEPTH: 120FTUTM X UTM YDEPTH TO BED: 45FT699,183.85 4,296,880.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1 MI W OF O'FALLON; NO PRODUCTION OR CONSTRUCTION
DATAS.W.L. (AFTER CASING):**LOG ID:****005789**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1939/11/TOWNSHIP RANGE SECTION

47N

3E

29

ELEVATION: 591FTDRILL DEPTH: 155FTUTM X UTM YDEPTH TO BED: 15FT699,333.85 4,296,967.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: JUST W OF O'FALLON ON HWY 40S.W.L. (AFTER CASING):**LOG ID:****023676**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP RANGE SECTION

47N

3E

30

ELEVATION: 630FTDRILL DEPTH: 370FTUTM X UTM YDEPTH TO BED: 55FT697,757.84 4,297,113.98
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1.5 MI SW OF O'FALLONS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025408**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/05/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	338FT	47N	3E	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				697,005.84	4,297,877.99
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1.5 MI W OF O'FALLON ON N SERVICE RD, 0.5 MI N ON GRAVEL			
<u>S.W.L. (AFTER CASING):</u>			RD			

LOG ID:**017616**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1958/07/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	632FT
<u>DRILL DEPTH:</u>	425FT	47N	3E	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				697,610.84	4,297,132.98
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	90	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	125	FT				

LOG ID:**004724**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	629FT
<u>DRILL DEPTH:</u>	420FT	47N	3E	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				697,542.84	4,297,431.98
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	N SIDE OLD US HWY 40		
<u>S.W.L. (AFTER CASING):</u>	75					

LOG ID:**026887**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	570FT
<u>DRILL DEPTH:</u>	205FT	47N	3E	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				700,662.84	4,295,408.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SCANNED - NO SAMPLES LOGGED - TOPS ONLY			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023970**WELL TYPE

Private Well

DRILL DATE: 1965/12/07TOWNSHIP RANGE SECTIONELEVATION: 582FTDRILL DEPTH: 525FT

47N 3E 33

DEPTH TO BED: 65FTUTM X UTM Y
700,690.84 4,295,127.94
ZONE 15S.W.L. (BEFORE CASING):REMARKS: Housewright - builderS.W.L. (AFTER CASING):**LOG ID:****026409**WELL TYPE

Private Well

DRILL DATE: 1967/11/04TOWNSHIP RANGE SECTIONELEVATION: 572FTDRILL DEPTH: 365FT

47N 3E 33

DEPTH TO BED: 55FTUTM X UTM Y
700,662.84 4,295,520.94
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ST. ANTHONY SUBDIVISION (& LANE), LOT 13; POOR LOG,
MOSTLY SCANNEDS.W.L. (AFTER CASING): 130**LOG ID:****023993**WELL TYPE

Private Well

DRILL DATE: 1965/11/TOWNSHIP RANGE SECTIONELEVATION: 565FTDRILL DEPTH: 290FT

47N 3E 33

DEPTH TO BED: 55FTUTM X UTM Y
700,918.84 4,295,290.94
ZONE 15S.W.L. (BEFORE CASING):REMARKS: VERY POOR SAMPLESS.W.L. (AFTER CASING):**LOG ID:****018598**WELL TYPE

Community Public Well

DRILL DATE: 1959/11/TOWNSHIP RANGE SECTIONELEVATION: 575FTDRILL DEPTH: 730FT

47N 3E 33

DEPTH TO BED: 25FTUTM X UTM Y
700,349.84 4,295,143.94
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of A.J. Diermann - 2 MI S OF O'FALLON, 0.75 MI E
OF HWY KS.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021832**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

575FT

DRILL DEPTH:

350FT

47N

3E

33

DEPTH TO BED:

30FT

UTM XUTM Y

700,503.84

4,294,964.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

LAUREL HILL RD

S.W.L. (AFTER CASING):**LOG ID:****024178**WELL TYPE

Private Well

DRILL DATE:

1966/03/26

TOWNSHIPRANGESECTIONELEVATION:

550FT

DRILL DEPTH:

405FT

47N

3E

34

DEPTH TO BED:

45FT

UTM XUTM Y

702,144.86

4,295,859.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022204**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

564FT

DRILL DEPTH:

325FT

47N

3E

34

DEPTH TO BED:

30FT

UTM XUTM Y

702,169.85

4,295,746.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:"CAN'T LOCATE", COULD BE IN SECS. 27,28,33,34; SE OF
O'FALLONS.W.L. (AFTER CASING):**LOG ID:****022258**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

535FT

DRILL DEPTH:

300FT

47N

3E

34

DEPTH TO BED:

15FT

UTM XUTM Y

702,892.85

4,295,073.92

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008351**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1943//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	553FT
<u>DRILL DEPTH:</u>	120FT	47N	3E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				701,719.85	4,295,908.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	BETWEEN ST. PETERS & O'FALLON, NO PRODUCTION OR			
<u>S.W.L. (AFTER CASING):</u>			CONSTRUCTION DATA			

LOG ID:**023585**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1965//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	473FT
<u>DRILL DEPTH:</u>	1,520FT	47N	3E	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				705,496.88	4,296,375.91
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	45 FT	<u>REMARKS:</u>	@ ST. PETERS - STEEPLE CHASE HOUSING DEVELOPMENT			
<u>S.W.L. (AFTER CASING):</u>	120 FT					

LOG ID:**019113**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1960/01/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	472FT
<u>DRILL DEPTH:</u>	881FT	47N	3E	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				705,795.88	4,296,117.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	STEEPLE CHASE SUBDIVISION #2, 1/8 MI S OF ST PETERS. 58			
<u>S.W.L. (AFTER CASING):</u>	30		GPM @ 222'			

LOG ID:**018704**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1959/11/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	476FT
<u>DRILL DEPTH:</u>	855FT	47N	3E	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				705,771.88	4,296,261.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	35	<u>REMARKS:</u>	STEEPLE CHASE SUBDIVISION #1; 60 GPM @ 218'			
<u>S.W.L. (AFTER CASING):</u>	FT					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024335**WELL TYPE

Private Well

DRILL DATE: 1965/12/18TOWNSHIP RANGE SECTION

47N

3E

6

ELEVATION: 505FTDRILL DEPTH: 256FTUTM X UTM YDEPTH TO BED: 35FT

697,194.91 4,304,663.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025834**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

47N

3E

6

ELEVATION: 502FTDRILL DEPTH: 338FTUTM X UTM YDEPTH TO BED: 20FT

697,101.91 4,304,651.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: HWY Y, 0.5 MI W OF HWY 79, N OF ST PAUL; NARROW 0.75 X 1 MI
SECTIONS.W.L. (AFTER CASING):**LOG ID:****020766**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

47N

3E

7

ELEVATION: 495FTDRILL DEPTH: 250FTUTM X UTM YDEPTH TO BED: 30FT

697,240.90 4,302,991.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****001637**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

47N

4E

14

ELEVATION: 439FTDRILL DEPTH: 2,637FTUTM X UTM YDEPTH TO BED: 94FT

713,234.97 4,300,858.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 SILVER HEIRS - PLUGGEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015777**WELL TYPE

Community Public Well

DRILL DATE: 1957// TOWNSHIP 47N RANGE 4E SECTION 18 ELEVATION: 500FT
DRILL DEPTH: 543FT UTM X 707,740.94 UTM Y 4,300,914.92
DEPTH TO BED: 300FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: high school well - log #15777 MAY BE the deepened samples of log
S.W.L. (AFTER CASING): #7189

LOG ID:**019520**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 47N RANGE 4E SECTION 25 ELEVATION: 536FT
DRILL DEPTH: 225FT UTM X 714,679.95 UTM Y 4,298,021.84
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ORIGINALLY LOCATED IN GASCONADE CO; "SAMPLES MIXED"
S.W.L. (AFTER CASING):

LOG ID:**018452**WELL TYPE

Private Well

DRILL DATE: 1959/10/ TOWNSHIP 47N RANGE 4E SECTION 26 ELEVATION: 540FT
DRILL DEPTH: 472FT UTM X 713,024.93 UTM Y 4,297,187.85
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W OF ST CHARLES, 0.5 MI N OF HWY 40, WESTWIND
S.W.L. (AFTER CASING): 45 SUBDIVISION

LOG ID:**008377**WELL TYPE

Private Well

DRILL DATE: 1943// TOWNSHIP 47N RANGE 4E SECTION 26 ELEVATION: 547FT
DRILL DEPTH: 400FT UTM X 713,382.95 UTM Y 4,298,305.86
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Robert Hollrah
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024093**WELL TYPE

Industrial High Capacity Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH:

385FT

47N

4E

28

DEPTH TO BED:

130FT

UTM XUTM Y

709,813.91

4,297,078.88

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

POOR SAMPLES, BADLY MIXED

S.W.L. (AFTER CASING):**LOG ID:****023192**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

550FT

DRILL DEPTH:

325FT

47N

4E

33

DEPTH TO BED:

65FT

UTM XUTM Y

710,647.90

4,295,080.86

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:formerly inname of Miller & Langton Construction Company - Hi Point
AcresS.W.L. (AFTER CASING):**LOG ID:****021211**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH:

360FT

47N

4E

33

DEPTH TO BED:

35FT

UTM XUTM Y

710,726.90

4,295,138.86

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

formerly in name of Jerry Miller

S.W.L. (AFTER CASING):**LOG ID:****007274**WELL TYPE

Private Well

DRILL DATE:

1941/07/02

TOWNSHIPRANGESECTIONELEVATION:

520FT

DRILL DEPTH:

250FT

47N

4E

33

DEPTH TO BED:

50FT

UTM XUTM Y

710,394.91

4,296,530.87

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:NW CORNER OF CROSS-ROADS, 0.25 MI S OF HWY 40 BY-PASS, 2
MI E ST PETERS.W.L. (AFTER CASING):

65

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019710

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	560FT
<u>DRILL DEPTH:</u>	325FT	47N	4E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				711,708.91	4,295,783.85
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	MUEGGE RD, 1/3 MI S OF HWY I-70			

LOG ID:
018996

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	574FT
<u>DRILL DEPTH:</u>	660FT	47N	4E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				711,808.91	4,295,674.85
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	135	<u>REMARKS:</u>	0.5 MI S OF CAVE SPRING			

LOG ID:
022560

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	540FT
<u>DRILL DEPTH:</u>	300FT	47N	4E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				711,676.92	4,296,330.86
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	1010 MEADOW LANE, CAVE SPRINGS			

LOG ID:
008420

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1943/09/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	593FT
<u>DRILL DEPTH:</u>	275FT	48N	1E	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				677,523.34	4,305,586.85
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80	<u>REMARKS:</u>	formerly in name of John Jelovic - 9 MI S OF TROY NEAR BIG CREEK			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019247**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

557FT

DRILL DEPTH:

4,002FT

48N

1E

34

DEPTH TO BED:

45FT

UTM XUTM Y

682,135.48

4,305,018.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

MINERAL TEST; ON PUBLISHED CROSS-SECTION

S.W.L. (AFTER CASING):**LOG ID:****027145**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

478FT

DRILL DEPTH:

405FT

48N

1E

36

DEPTH TO BED:

25FT

UTM XUTM Y

685,286.59

4,305,603.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NEAR FLINT HILL

S.W.L. (AFTER CASING):**LOG ID:****026844**WELL TYPE

Private Well

DRILL DATE:

1969/07/05

TOWNSHIPRANGESECTIONELEVATION:

542FT

DRILL DEPTH:

245FT

48N

2E

26

DEPTH TO BED:

65FT

UTM XUTM Y

693,712.87

4,306,715.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

HWY 79 N TO HWY Y

S.W.L. (AFTER CASING):**LOG ID:****001804**WELL TYPE

Private Well

DRILL DATE:

1914/08/24

TOWNSHIPRANGESECTIONELEVATION:

548FT

DRILL DEPTH:

810FT

48N

2E

35

DEPTH TO BED:

41FT

UTM XUTM Y

695,076.91

4,305,627.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

"WATER HAS SOME ODOR OF H2S"

S.W.L. (AFTER CASING):

55



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004521

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1937/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	429FT
<u>DRILL DEPTH:</u>	277FT	48N	3E	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	128FT				702,515.01	4,311,111.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	18	FT	<u>REMARKS:</u>	DRY UNTIL 260'; E BANK CUIVRE ISLAND, 0.75 MI N OF S END OF ISLAND		
<u>S.W.L. (AFTER CASING):</u>	15	FT				

LOG ID:
018615

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	438FT
<u>DRILL DEPTH:</u>	360FT	48N	3E	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				699,178.95	4,307,302.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	17	FT	<u>REMARKS:</u>	DUCK POND		
<u>S.W.L. (AFTER CASING):</u>	20	FT				

LOG ID:
006716

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1941/03/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	434FT
<u>DRILL DEPTH:</u>	58FT	48N	5E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					722,731.09	4,312,181.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	"WILL MAKE 50 GPM"		
<u>S.W.L. (AFTER CASING):</u>	15					

LOG ID:
002261

WELL TYPE
Dry Oil &/or Gas Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	435FT
<u>DRILL DEPTH:</u>	962FT	48N	5E	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	122FT				719,998.09	4,311,310.89
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>	#1 LOUIS OATMAN - ABANDONED		
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002282**WELL TYPE

Dry Oil &/or Gas Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

422FT

DRILL DEPTH:

2,004FT

48N

5E

26

DEPTH TO BED:

125FT

UTM XUTM Y

723,738.05

4,307,590.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 L.A. ACHELPOHL - PLUGGEDS.W.L. (AFTER CASING):**LOG ID:****025785**WELL TYPE

Private Well

DRILL DATE:

1968/08/06

TOWNSHIPRANGESECTIONELEVATION:

436FT

DRILL DEPTH:

415FT

48N

6E

31

DEPTH TO BED:

140FT

UTM XUTM Y

725,697.04

4,306,400.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-S DUNKMAN BROTHERS - STRUCTURE TEST - GIVEN TO
OWNER FOR WATER WELLS.W.L. (AFTER CASING):**LOG ID:****024919**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/04/25

TOWNSHIPRANGESECTIONELEVATION:

425FT

DRILL DEPTH:

270FT

48N

6E

33

DEPTH TO BED:

103FT

UTM XUTM Y

730,936.05

4,307,974.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-S DESLOGE; STRUCTURE TEST - PLUGGED - N END
FLORISSANT DOME PELICANS.W.L. (AFTER CASING):

ST CHARLES